Soft seating, chairs and components

2026

January 2026



ILPO SRL SI RISERVA IL DIRITTO, IN QUALUNQUE MOMENTO E SENZA ALCUN OBBLIGO DI NOTIFICA VERSO TERZI, DI APPORTARE MODIFICHE TECNICHE E/O ESTETICHE AI PROPRI PRODOTTI.
ILPO SRL RESERVES THE RIGHT, AT ANY TIME AND WITHOUT ANY OBLIGATION TO NOTIFY THIRD PARTIES, TO MAKE TECHNICAL AND/OR AESTHETIC CHANGES TO ITS PRODUCTS.

È VIETATA LA RIPRODUZIONE ANCHE PARZIALE DI QUESTO CATALOGO.
EVEN PARTIAL REPRODUCTION OF THIS CATALOGUE IS PROHIBITED.

Poliuretano:
esperienza, ricerca, qualità e design.



Tecnologia, esperienza, stile, materiali e colori: sono gli elementi della storia di ILPO, azienda italiana nata oltre 50 anni fa e tutt'oggi gestita dalla famiglia dei suoi fondatori.

Coniugando l'esperienza di tre generazioni di imprenditori e l'innovativa applicazione nello stampaggio del poliuretano, ILPO ha creato e sviluppato la collezione ILPODESIGN, caratterizzata per l'attenzione al design, per l'utilizzo di materiali innovativi e soluzioni tecniche affidabili.

I rivestimenti dei mobili imbottiti sono proposti in vari materiali e colori standard ed è inoltre possibile personalizzarli in caso di rilevanti installazioni.

Le sedie con la scocca in poliuretano rigido compatto sono robuste e flessibili allo stesso tempo, per offrire un ottimo comfort.

La garanzia dei prodotti è anche assicurata dalle numerose certificazioni eseguite in base alle norme EN.

Polyurethane:
experience, research, quality and design.



Technology, experience, style, materials and colours are the elements of the story of ILPO, Italian company founded more than 50 years ago and now run by the family of its founder.

By combining the experience of three generations of entrepreneurs and innovative application in the polyurethane molding, ILPO has created and developed the ILPODESIGN collection, characterized by attention to design, for the use of reliable materials and technical solutions.

The covers of upholstered furniture are available in various standard materials and colours; it is also possible to customize the covers (COM) for significant installations.

The chairs with high-density rigid polyurethane shell are strong and flexible at the same time, ensuring optimal comfort.

The product's warranty is ensured by the many certifications performed in accordance with EN standards.

Index



ARKO

Pag.- 84 -



BAKKO

Pag.- 160 -



BAKKONE

Pag.- 164 -



EKO

Pag.- 88 -



EKO PLUS

Pag.- 92 -

soft seating



EXTRAKOOL

Pag.- 192 -



FIKO

Pag.- 52 -



FLIK

Pag.- 140 -



FLOK

Pag.- 146 -



JACKIE

Pag.- 168 -



JACK

Pag.- 174 -



KALICE

Pag.- 156 -



KARINA

Pag.- 134 -



KATE

Pag.- 48 -



KIMBRA

Pag.- 32 -



KIMBRA M

Pag.- 28 -



KIMBRETTA

Pag.- 40 -



KINZIKA L

Pag.- 104 -

Index



KINZIKA M

Pag.- 108 -



KINZIKA S

Pag.- 112 -



KISS PLUS

Pag.- 76 -



KISS

Pag.- 80 -



KLOUD

Pag.- 56 -

soft seating



KOPPA

Pag.- 152 -



KUCCIOLA

Pag.- 264 -



LADY K

Pag.- 116 -



LIKE

Pag.- 96 -



LIKE PLUS

Pag.- 100 -



MISS K

Pag.- 122 -



SLEEK S

Pag.- 22 -



SLEEK

Pag.- 16 -



SLEEK M

Pag.- 10 -



SHEKI

Pag.- 128 -



VICKY PURE

Pag.- 62 -



WELKOME

Pag.- 72 -



WELKOME XL

Pag.- 68 -

Index



2KG
Pag.- 232 -



IKS
Pag.- 208 -



B.IKS
Pag.- 204 -



KAPPA
Pag.- 224 -



KOOL
Pag.- 196 -

chairs



SNAKE
Pag.- 240 -



PIKAIA
Pag.- 256 -



TAKE
Pag.- 248 -



KONO
Pag.- 268 -

Index



BASKO
Pag.- 184 -



DISKO
Pag.- 180 -



KAPPAR
Pag.- 220 -



KOOLER
Pag.- 200 -



KUANG
Pag.- 188 -

stools



SKOOT
Pag.- 216 -

SLEEK M

Design Giorgio Gurioli

La poltrona Sleek M è perfetta per chi ricerca un prodotto moderno e comfortevole. Questa poltrona è in grado di conferire un tocco di eleganza e stile ad ogni ambiente.

Sleek M is a modern and comfortable product. This armchair is able to give a touch of elegance and style to any environment.









SLEEK M






SLEEK M

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 09736
Ilpoflex BS foam
Cod. 09737

Shell weight: 11,0 kg

1 Volume: 0,54 m³
Weight: 15,7 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
2,5 m

Basi - *Bases*

BAS153



Base a 4 razze in acciaio verniciata nero girevole, 5°

4 spoke black painted steel swivel base, 5°

Weight 6,5 kg

2 Volume: 0,22 m³
Weight: 15,5 kg

mininum order quantity:
2 pieces

BAS137



Base a 4 razze in acciaio verniciata nero girevole, tilt.

4 spoke black painted swivel steel base, tilt.

Weight 7,2 kg

2 Volume: 0,22 m³
Weight: 16,8 kg

mininum order quantity:
2 pieces

BAS163



Base a 4 razze in alluminio lucida girevole, tilt.

4 spoke polished aluminum swivel base, tilt.

Weight 2,9 kg

2 Volume: 0,22 m³
Weight: 9,0 kg

mininum order quantity:
4 pieces

BAS169



Base a 4 razze in alluminio verniciato nero girevole, tilt.

4 spoke black painted aluminum swivel base, tilt.


Weight 2,9 kg

2 Volume: 0,22 m³
Weight: 9,0 kg

mininum order quantity:
4 pieces

IDSLEEKM-153






Weight 17,5 kg

1 Volume: 0,69 m³
Weight: 22,2 kg

Minimum order quantity:
6 pieces

IDSLEEKM-137






Weight 16,8 kg

1 Volume: 0,69 m³
Weight: 21,5 kg

Minimum order quantity:
6 pieces

IDSLEEKM-163






Weight 14,9 kg

1 Volume: 0,69 m³
Weight: 18,6 kg

Minimum order quantity:
6 pieces

IDSLEEKM-169





Weight 14,9 kg

1 Volume: 0,69 m³
Weight: 18,6 kg

Minimum order quantity:
6 pieces


Dimensions in mm



SLEEK M

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 09736
Ilpoflex BS foam
Cod. 09737

Shell weight: 11,0 kg

1 Volume: 0,54 m³
Weight: 15,7 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
2,5 m

Basi - *Bases*

BAS155



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs natural painted beech base.

Weight 3,5 kg

2 Volume: 0,22 m³
Weight: 9,5 kg

mininum order quantity:
2 pieces

BAS160



Base a 4 gambe in legno di faggio. Colore su richiesta.

4 legs painted beech base. Color on demand.

Weight 3,5 kg

2 Volume: 0,22 m³
Weight: 9,5 kg

mininum order quantity:
30 pieces

BAS161



Base a 4 gambe in legno di faggio grezza.

4 legs raw beech base.

Weight 3,5 kg

2 Volume: 0,22 m³
Weight: 9,5 kg

mininum order quantity:
2 pieces

BAS170



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs natural painted beech base.


Weight 4,7 kg

4 Volume: 0,22 m³
Weight: 21,1 kg

mininum order quantity:
8 pieces

IDSLEEKM-155






Weight
13,9 kg

1
Volume: 0,69 m³
Weight: 18,6 kg

Minimum order quantity:
6 pieces

IDSLEEKM-160






Weight
13,9 kg

1
Volume: 0,69 m³
Weight: 18,6 kg

Minimum order quantity:
30 pieces

IDSLEEKM-161






Weight
13,9 kg

1
Volume: 0,69 m³
Weight: 18,6 kg

Minimum order quantity:
6 pieces

IDSLEEKM-170





Weight
15,7 kg

1
Volume: 0,69 m³
Weight: 20,4 kg

Minimum order quantity:
6 pieces

Dimensions in mm



SLEEK

Design Giorgio Gurioli

Sleek, grazie alle sue linee pulite ed eleganti, è l'elemento perfetto per donare personalità a qualsiasi spazio, sia esso domestico o contract. Si adatta facilmente a qualsiasi stile di arredamento, dal più classico al più contemporaneo.

Sleek, thanks to its clean and elegant lines, is the perfect element to give personality to any space, whether domestic or contract. It easily adapts to any style of furniture, from the most classic to the most contemporary.










SLEEK






SLEEK

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 09730
Ilpoflex BS foam
Cod. 09731

Shell weight: 6,0 kg

1 Volume: 0,22 m³
Weight: 8,5 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,8 m

Basi - *Bases*

BAS103



Base in tubo d'acciaio verniciata nero girevole, 3°.

Black painted tubular steel swivel base, 3°.

Weight 2,9 kg

4 Volume: 0,22 m³
Weight: 14,1 kg

mininum order quantity:
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole, 3°.

Chromed tubular steel swivel base, 3°.

Weight 2,9 kg

4 Volume: 0,22 m³
Weight: 14,1 kg

mininum order quantity:
4 pieces

BAS152



Base a 4 razze in acciaio verniciata nero girevole, 3°.

4 spoke black painted steel swivel base, 3°.

Weight 4,2 kg

4 Volume: 0,22 m³
Weight: 19,1 kg

mininum order quantity:
4 pieces

BAS017



Base a 4 razze in alluminio autoallineante, 3°.

4 spoke aluminum self-aligning base, 3°.

Weight 3,7 kg

1 Volume: 0,05 m³
Weight: 4,4 kg

mininum order quantity:
4 pieces

BAS073



Base a disco in acciaio inox 430 spazzolata autoallineante, 3°.

Disc self-aligning base, brushed stainless steel 430, 3°.

Weight 11,2 kg

1 Volume: 0,05 m³
Weight: 11,9 kg

mininum order quantity:
2 pieces

BAS018



Base a 5 razze in alluminio lucida girevole con ruote, regolabile in altezza.

5 spoke aluminum swivel base with castors, adjustable height.

Weight 4,4 kg


1 Volume: 0,05 m³
Weight: 5,1 kg

mininum order quantity:
2 pieces

Prodotto finito - *Finished products*

IDSLEEK-103






Weight 8,9 kg

Volume: 0,42 m³
Weight: 12,2 kg

Minimum order quantity: 8 pieces

IDSLEEK-106






Weight 8,9 kg

Volume: 0,42 m³
Weight: 12,2 kg

Minimum order quantity: 8 pieces

IDSLEEK-152






Weight 9,7 kg

Volume: 0,42 m³
Weight: 12,3 kg

Minimum order quantity: 8 pieces

IDSLEEK-017






Weight 10,1 kg

Volume: 0,42 m³
Weight: 13,4 kg

Minimum order quantity: 8 pieces

IDSLEEK-073






Weight 18,7 kg

Volume: 0,42 m³
Weight: 22,0 kg

Minimum order quantity: 8 pieces

IDSLEEK-018





Weight 11,9 kg

Volume: 0,42 m³
Weight: 14,5 kg

Minimum order quantity: 8 pieces


Dimensions in mm



SLEEK

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 09730
Ilpoflex BS foam
Cod. 09731

Shell weight: 6,0 kg

1 Volume: 0,22 m³
Weight: 8,5 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,8 m

Basi - *Bases*

BAS031



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs solid natural painted beech base.

Weight 2,2 kg

4 Volume: 0,22 m³
Weight: 11,3 kg

mininum order quantity:
4 pieces

BAS110



Base a 4 gambe in legno di faggio Colore su richiesta.

4 legs painted beech base.
Color on demand.

Weight 2,2 kg

4 Volume: 0,22 m³
Weight: 11,3 kg

mininum order quantity:
30 pieces

BAS027



Base a 4 gambe in legno di faggio grezza.

4 legs solid raw beech base.

Weight 2,2 kg

4 Volume: 0,22 m³
Weight: 11,3 kg

mininum order quantity:
4 pieces

BAS102



Base in legno di frassino verniciata naturale girevole, 3°.

Natural painted ash wood swivel base, 3°.

Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,7 kg

mininum order quantity:
4 pieces

BAS162



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs natural painted beech base.

Weight 2,9 kg

4 Volume: 0,22 m³
Weight: 14,1 kg

mininum order quantity:
8 pieces

BAS166



Cavalletto alto in tubo verniciato nero.

High 4 legs tube black painted.

Weight 2,8 kg


4 Volume: 0,51 m³
Weight: 14,0 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDSLEEK-031






Weight
8,7 kg

1
Volume: 0,22 m³
Weight: 11,3 kg

Minimum order quantity:
8 pieces

IDSLEEK-110






Weight
8,7 kg

1
Volume: 0,22 m³
Weight: 11,3 kg

Minimum order quantity:
30 pieces

IDSLEEK-027






Weight
8,7 kg

1
Volume: 0,22 m³
Weight: 11,3 kg

Minimum order quantity:
8 pieces

IDSLEEK-102






Weight
9,8 kg

1
Volume: 0,22 m³
Weight: 11,6 kg

Minimum order quantity:
8 pieces

IDSLEEK-162






Weight
9,4 kg

1
Volume: 0,22 m³
Weight: 13,7 kg

Minimum order quantity:
8 pieces

IDSLEEK-166





Weight
9,8 kg

1
Volume: 0,47 m³
Weight: 13,0 kg

Minimum order quantity:
8 pieces

Dimensions in mm



SLEEK S

Design Giorgio Gurioli

Scopri l'essenzialità di Sleek S: semplice, compatta, per chi ama il comfort della seduta imbottita e ricerca una seduta minimale, di stile. Ideale per zone di attesa a veloce avvicendamento, per l'ufficio, il contract alberghiero.

Discover the essentiality of Sleek S: simple, compact, for those who love the comfort of padded seating and are looking for a minimal, stylish seat. Ideal for fast-moving waiting areas, for the office, and hotel contract.












SLEEK S



SLEEK S

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 09752
Ilpoflex BS foam
Cod. 09753

Shell weight: 5,4 kg

1 Volume: 0,23 m³
Weight: 7,3 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,7 m

Basi - *Bases*

BAS103



Base in tubo d'acciaio verniciata nero girevole, 3°.

Black painted tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole, 3°.

Chromed tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS152



Base a 4 razze in acciaio verniciata nero girevole, 3°.

4 spoke black painted steel swivel base,

Weight 4,2 kg

4 Volume: 0,22 m³
Weight: 19,1 kg

mininum order quantity:
4 pieces

BAS017



Base a 4 razze in alluminio autoallineante, 3°.

4 spoke aluminum self-aligning base, 3°.

Weight 3,7 kg

1 Volume: 0,05 m³
Weight: 4,4 kg

mininum order quantity:
4 pieces

BAS073



Base a disco in acciaio inox 430 spazzolata autoallineante, 3°.

Disc self-aligning base, brushed stainless steel 430, 3°.

Weight 11,2 kg

1 Volume: 0,05 m³
Weight: 11,9 kg

mininum order quantity:
2 pieces

BAS018



Base a 5 razze in alluminio lucida girevole con ruote, regolabile in altezza.

5 spoke aluminum swivel base with castors, adjustable height.

Weight 4,4 kg


1 Volume: 0,05 m³
Weight: 5,1 kg

mininum order quantity:
2 pieces

Prodotto finito - *Finished products*

IDSLEEKS-103






Weight
8,5 kg

Volume: 0,42 m³
Weight: 11,6 kg

Minimum order quantity:
8 pieces

IDSLEEKS-106






Weight
8,5 kg

Volume: 0,42 m³
Weight: 11,6 kg

Minimum order quantity:
8 pieces

IDSLEEKS-152






Weight
10,0 kg

Volume: 0,42 m³
Weight: 11,4 kg

Minimum order quantity:
8 pieces

IDSLEEKS-017






Weight
9,7 kg

Volume: 0,42 m³
Weight: 12,8 kg

Minimum order quantity:
8 pieces

IDSLEEKS-073






Weight
17,0 kg

Volume: 0,42 m³
Weight: 21,4 kg

Minimum order quantity:
8 pieces

IDSLEEKS-018





Weight
9,8 kg

Volume: 0,42 m³
Weight: 12,5 kg

Minimum order quantity:
8 pieces


Dimensions in mm



SLEEK S

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 09752
Ilpoflex BS foam
Cod. 09753

Shell weight: 5,4 kg

1 Volume: 0,23 m³
Weight: 0,73 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,7 m

Basi - *Bases*

BAS031



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs solid natural painted beech base.

Weight 2,2 kg

4 Volume: 0,22 m³
Weight: 11,3 kg

mininum order quantity:
4 pieces

BAS110



Base a 4 gambe in legno di faggio Colore su richiesta.

4 legs painted beech base.
Color on demand.

Weight 2,2 kg

4 Volume: 0,22 m³
Weight: 11,3 kg

mininum order quantity:
30 pieces

BAS027



Base a 4 gambe in legno di faggio grezza.

4 legs solid raw beech base.

Weight 2,2 kg

4 Volume: 0,22 m³
Weight: 11,3 kg

mininum order quantity:
4 pieces

BAS102



Base in legno di frassino verniciata naturale girevole, 3°.

Natural painted ash wood swivel base, 3°.

Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,7 kg

mininum order quantity:
4 pieces

BAS162



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs natural painted beech base.

Weight 2,9 kg

4 Volume: 0,22 m³
Weight: 14,1 kg

mininum order quantity:
8 pieces

BAS166



Cavalletto alto in tubo verniciato nero.

High 4 legs tube black painted.

Weight 2,8 kg


4 Volume: 0,51 m³
Weight: 14,0 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDSLEEKS-031






Weight
8,2 kg

Volume: 0,42 m³
Weight: 10,9 kg

Minimum order quantity:
8 pieces

IDSLEEKS-110






Weight
8,2 kg

Volume: 0,42 m³
Weight: 10,9 kg

Minimum order quantity:
30 pieces

IDSLEEKS-027






Weight
8,2 kg

Volume: 0,42 m³
Weight: 10,9 kg

Minimum order quantity:
8 pieces

IDSLEEKS-102






Weight
9,3 kg

Volume: 0,42 m³
Weight: 11,4 kg

Minimum order quantity:
8 pieces

IDSLEEKS-162






Weight
8,9 kg

Volume: 0,42 m³
Weight: 11,5 kg

Minimum order quantity:
8 pieces

IDSLEEKS-166





Weight
9,2 kg

Volume: 0,51 m³
Weight: 12,0 kg

Minimum order quantity:
8 pieces

Dimensions in mm



KIMBRA M

Design R&D ILPODESIGN

Kimbra M, con il suo nostalgico ed incantevole gusto vintage, coniuga comfort e stile per armonizzarsi con ogni ambiente.

Kimbra M, with its nostalgic and charming vintage look, combines comfort and style to harmonize itself in every contest.









KIMBRA M

Pag.- 29 -






KIMBRA M

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 09726
Ilpoflex BS foam
Cod. 09727

Shell weight: 11,2 kg

1 Volume: 0,54 m³
Weight: 15,9 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
2,3 m

Basi - *Bases*

BAS119



Base a disco in acciaio inox 430 spazzolata girevole, 3°.

Disc swivel base, brushed stainless steel 430, 3°.

Weight 13,5 kg

1 Volume: 0,05 m³
Weight: 14,2 kg

mininum order quantity:
2 pieces

BAS151



Base a 4 razze in acciaio verniciata nero girevole, 3°.

4 spoke black painted steel swivel base, 3°.

Weight 6,7 kg

2 Volume: 0,22m³
Weight: 15,8 kg

mininum order quantity:
2 pieces

BAS163



Base a 4 razze in alluminio lucida girevole, tilt.

4 spoke polished aluminum swivel base, tilt.

Weight 2,9 kg

2 Volume: 0,22 m³
Weight: 9,0 kg

mininum order quantity:
4 pieces

BAS169



Base a 4 razze in alluminio verniciato nero girevole, tilt.

spoke black painted aluminum swivel base, tilt.

Weight 2,9 kg

2 Volume: 0,22 m³
Weight: 9,0 kg

mininum order quantity:
4 pieces

BAS164



Cavalletto in tubo verniciato nero.

4 legs tube black painted.

Weight 2,7 kg

4 Volume: 0,22 m³
Weight: 14,0 kg

mininum order quantity:
4 pieces

BAS156



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs natural painted beech base.

Weight 4,9 kg


4 Volume: 0,22 m³
Weight: 22,6 kg

mininum order quantity:
8 pieces

Prodotto finito - *Finished products*

IDKIMBRAM-119






Weight 24,4 kg

1 Volume: 0,69 m³
Weight: 29,1 kg

Minimum order quantity:
8 pieces

IDKIMBRAM-151






Weight 17,9 kg

1 Volume: 0,69 m³
Weight: 22,6 kg

Minimum order quantity:
8 pieces

IDKIMBRAM-163






Weight 15,1 kg

1 Volume: 0,69 m³
Weight: 19,8 kg

Minimum order quantity:
8 pieces

IDKIMBRAM-169






Weight 15,1 kg

1 Volume: 0,69 m³
Weight: 19,8 kg

Minimum order quantity:
8 pieces

IDKIMBRAM-164






Weight 14,7 kg

1 Volume: 0,69 m³
Weight: 20,0 kg

Minimum order quantity:
8 pieces

IDKIMBRAM-156





Weight 16,1 kg

1 Volume: 0,69 m³
Weight: 20,8 kg

Minimum order quantity:
8 pieces

Dimensions in mm



KIMBRA

Design Ancarani - Garcia - Ragazzini

La poltroncina Kimbra sa mixare con le sue forme la freschezza della modernità e il nostalgico ed incantevole gusto vintage. Leggera, dinamica, senza tempo, un tocco di eleganza e stile per caratterizzare e armonizzare ogni ambiente.

Kimbra is an armchair that knows how to mix the modernity freshness with the nostalgic and charming vintage style. Light, dynamic, timeless, a touch of elegance and style able to characterize and harmonize any environment.









KIMBRA

Pag.- 33 -





KIMBRA

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 07732
Ilpoflex BS foam
Cod. 07733

Shell weight: 5,75 kg

1 Volume: 0,22 m³
Weight: 8,25 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,5 m

Basi - *Bases*

BAS090



Base a slitta in filo metallico verniciata nero.

Black painted steel rod sled frame.

Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,8 kg

mininum order quantity:
50 pieces

BAS023



Base a slitta in filo metallico cromata.

Chromed steel rod sled frame.

Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,8 kg

mininum order quantity:
50 pieces

BAS113



Base a 4 lame in acciaio verniciata nero girevole, 3°.

4 spoke black painted swivel steel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS104



Base a 4 razze in acciaio cromata girevole, 3°.

4 spoke chromed steel swivel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS017



Base a 4 razze in alluminio autoallineante, 3°.

4 spoke aluminum self-aligning base, 3°.

Weight 3,7 kg


1 Volume: 0,22 m³
Weight: 4,4 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDKIMBRA-090






Weight
9,1 kg

1 Volume: 0,46 m³
Weight: 12,2 kg

Minimum order quantity:
50 pieces

IDKIMBRA-023





Weight
9,1 kg

1 Volume: 0,46 m³
Weight: 12,2 kg

Minimum order quantity:
50 pieces

IDKIMBRA-113





Weight
9,3 kg

1 Volume: 0,46 m³
Weight: 12,6 kg

Minimum order quantity:
8 pieces

IDKIMBRA-104






Weight
8,7 kg

1 Volume: 0,46 m³
Weight: 12,0 kg

Minimum order quantity:
8 pieces

IDKIMBRA-017





Weight
9,8 kg

1 Volume: 0,46 m³
Weight: 13,1 kg

Minimum order quantity:
8 pieces

Dimensions in mm



KIMBRA

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 07732
Ilpoflex BS foam
Cod. 07733

Shell weight: 5,75 kg

1 Volume: 0,22 m³
Weight: 8,25 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,5 m

Basi - *Bases*

BAS018



Base a 5 razze in alluminio lucida girevole con ruote, regolabile in altezza.

5 spoke aluminum swivel base with castors, adjustable height.

Weight 4,4 kg

1 Volume: 0,05 m³
Weight: 5,1 kg

mininum order quantity:
2 pieces

BAS166



Cavalletto alto in tubo verniciato nero.

High 4 legs tube black painted.

Weight 2,8 kg

4 Volume: 0,51 m³
Weight: 14,0 kg

mininum order quantity:
4 pieces

BAS165



Cavalletto in tubo verniciato nero.

4 legs tube black painted.

Weight 2,0 kg

4 Volume: 0,22 m³
Weight: 11,0 kg

mininum order quantity:
4 pieces

BAS103



Base in tubo d'acciaio verniciata nero girevole, 3°.

Black painted tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole, 3°.

Chromed tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS073



Base a disco in acciaio inox 430 spazzolata autoallineante, 3°.

Disc self-aligning base, brushed stainless steel 430, 3°.

Weight 11,2 kg


1 Volume: 0,05 m³
Weight: 11,9 kg

mininum order quantity:
2 pieces

Prodotto finito - *Finished products*

IDKIMBRA-018






Weight
9,9 kg

1
Volume: 0,46 m³
Weight: 13,1 kg

Minimum order quantity:
8 pieces

IDKIMBRA-166






Weight
9,0 kg

1
Volume: 0,51 m³
Weight: 12,0 kg

Minimum order quantity:
8 pieces

IDKIMBRA-165






Weight
8,7 kg

1
Volume: 0,46 m³
Weight: 12,0 kg

Minimum order quantity:
8 pieces

IDKIMBRA-103






Weight
8,7 kg

1
Volume: 0,46m³
Weight: 11,9 kg

Minimum order quantity:
8 pieces

IDKIMBRA-106






Weight
8,7 kg

1
Volume: 0,46 m³
Weight: 11,9 kg

Minimum order quantity:
8 pieces

IDKIMBRA-073





Weight
18,3 kg

1
Volume: 0,46 m³
Weight: 21,5 kg

Minimum order quantity:
8 pieces

Dimensions in mm



KIMBRA

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 07732
Ilpoflex BS foam
Cod. 07733

Shell weight: 5,75 kg

1 Volume: 0,22 m³
Weight: 8,25 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,5 m

Basi - *Bases*

BAS031



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs solid natural painted beech base.

Weight 2,2 kg

4 Volume: 0,22 m³
Weight: 11,3 kg

mininum order quantity:
4 pieces

BAS110



Base a 4 gambe in legno di faggio Colore su richiesta.

4 legs painted beech base.
Color on demand.

Weight 2,2 kg

4 Volume: 0,22 m³
Weight: 11,3 kg

mininum order quantity:
30 pieces

BAS027



Base a 4 gambe in legno di faggio grezza.

4 legs solid raw beech base.

Weight 2,2 kg

4 Volume: 0,22 m³
Weight: 11,3 kg

mininum order quantity:
4 pieces

BAS102



Base in legno di frassino verniciata naturale girevole, 3°.

Natural painted ash wood swivel base, 3°.

Weight 3,3 kg


4 Volume: 0,22 m³
Weight: 15,7 kg


mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDKIMBRA-031








Weight
7,9 kg


1
Volume: 0,46 m³
Weight: 11,1 kg

Minimum order quantity:
8 pieces

IDKIMBRA-110








Weight
7,9 kg


1
Volume: 0,46 m³
Weight: 11,1 kg

Minimum order quantity:
30 pieces

IDKIMBRA-027








Weight
7,9 kg


1
Volume: 0,46 m³
Weight: 11,1 kg

Minimum order quantity:
8 pieces

IDKIMBRA-102







Weight
9,1 kg

1
Volume: 0,46 m³
Weight: 12,3 kg

Minimum order quantity:
8 pieces

Dimensions in mm



KIMBRETTA

Design Ancarani - Garcia - Ragazzini

La sedia Kimbretta, dal gusto moderno con le sue linee leggere e dinamiche e allo stesso tempo vintage, offre comfort ed eleganza in qualunque ambiente aggiungendone stile ed armonia.

The Kimbretta chair, with a modern style with its light and dynamic and at the same time vintage lines, offers comfort and elegance in any environment, adding style and harmony.









KIMBRETTA

Pag.- 41 -





KIMBRETTA

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 07736
Ilpoflex BS foam
Cod. 07737

Shell weight: 4,65 kg

4 Volume: 0,31 m³
Weight: 20,6 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,3 m

Basi - *Bases*

BAS090



Base a slitta in filo metallico verniciata nero.

Black painted steel rod sled frame.

Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,8 kg

mininum order quantity:
50 pieces

BAS023



Base a slitta in filo metallico cromata.

Chromed steel rod sled frame.

Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,8 kg

mininum order quantity:
50 pieces

BAS113



Base a 4 lame in acciaio verniciata nero girevole, 3°.

4 spoke black painted swivel steel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS104



Base a 4 razze in acciaio cromata girevole, 3°.

4 spoke chromed steel swivel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole, 3°.

Chromed tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS103



Base a 4 lame in acciaio verniciata nero girevole, 3°.

4 spoke black painted swivel steel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg


mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDKIMBRETTA-090







Weight
7,8 kg


Volume: 0,42 m³
Weight: 11,2 kg

Minimum order quantity:
50 pieces

IDKIMBRETTA-023







Weight
7,8 kg


Volume: 0,42 m³
Weight: 11,2 kg

Minimum order quantity:
50 pieces

IDKIMBRETTA-113







Weight
7,6 kg


Volume: 0,42 m³
Weight: 11,4 kg

Minimum order quantity:
8 pieces

IDKIMBRETTA-104








Weight
8,4 kg

Volume: 0,42 m³
Weight: 11,6 kg

Minimum order quantity:
8 pieces

IDKIMBRETTA-106








Weight
7,6 kg

Volume: 0,42 m³
Weight: 10,8 kg

Minimum order quantity:
8 pieces

IDKIMBRETTA-103







Weight
7,6 kg

Volume: 0,42 m³
Weight: 10,8 kg

Minimum order quantity:
8 pieces

Dimensions in mm



KIMBRETTA

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 07736
Ilpoflex BS foam
Cod. 07737

Shell weight: 4,65 kg

4 Volume: 0,31 m³
Weight: 20,6 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,3 m

Basi - *Bases*

BAS029



Base a 4 razze in alluminio lucida autoallineante, 0°

4 spoke self-aligning aluminum base 0°.

Weight 3,7 kg

1 Volume: 0,05 m³
Weight: 8,1 kg

mininum order quantity:
2 pieces

BAS041



Base a disco in acciaio inox 430 spazzolata autoallineante, 0°.

Disc self-aligning base, brushed stainless steel 430, 0°

Weight 11,3 kg

1 Volume: 0,22 m³
Weight: 12,0 kg

mininum order quantity:
2 pieces

BAS165



Cavalletto in tubo verniciato nero.

4 legs tube black painted.

Weight 2,0 kg


4 Volume: 0,22 m³
Weight: 11,0 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDKIMBRETTA-029






Weight
9,7 kg

Volume: 0,42 m³
Weight: 21,5 kg

Minimum order quantity:
8 pieces

IDKIMBRETTA-041






Weight
17,4 kg

Volume: 0,42 m³
Weight: 20,6 kg

Minimum order quantity:
8 pieces

IDKIMBRETTA-165





Weight
6,6 kg

Volume: 0,42 m³
Weight: 10,5 kg

Minimum order quantity:
8 pieces

Dimensions in mm



KIMBRETTA

KIMBRETTA

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 07736
Ilpoflex BS foam
Cod. 07737

Shell weight: 4,65 kg

4 Volume: 0,31 m³
Weight: 20,6 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,3 m

Basi - *Bases*

BAS031



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs solid natural painted beech base.

Weight 2,2 kg

4 Volume: 0,22 m³
Weight: 11,3 kg

mininum order quantity:
4 pieces

BAS110



Base a 4 gambe in legno di faggio Colore su richiesta.

4 legs painted beech base.
Color on demand.

Weight 2,2 kg

4 Volume: 0,22 m³
Weight: 11,3 kg

mininum order quantity:
30 pieces

BAS027



Base a 4 gambe in legno di faggio grezza.

4 legs solid raw beech base.

Weight 2,2 kg

4 Volume: 0,22 m³
Weight: 11,3 kg

mininum order quantity:
4 pieces

BAS102



Base in legno di frassino verniciata naturale girevole, 3°.

Natural painted ash wood swivel base, 3°.

Weight 3,3 kg


4 Volume: 0,22 m³
Weight: 15,7 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDKIMBRETTA-031






Weight
6,9 kg

2
Volume: 0,42 m³
Weight: 16,2 kg

Minimum order quantity:
8 pieces

IDKIMBRETTA-110






Weight
6,9 kg

2
Volume: 0,42 m³
Weight: 16,2 kg

Minimum order quantity:
30 pieces

IDKIMBRETTA-027






Weight
6,9 kg

2
Volume: 0,42 m³
Weight: 16,2 kg

Minimum order quantity:
8 pieces

IDKIMBRETTA-102





Weight
7,3 kg

1
Volume: 0,42 m³
Weight: 10,6 kg

Minimum order quantity:
8 pieces

Dimensions in mm



KATE

Design Giorgio Gurioli



Avvolgente come un abbraccio, fedele compagna dei momenti più personali di meditazione, lettura, relax.

Kate è un luogo privilegiato da dedicare solo a se stessi.

Kate embraces you like a confortable hug, it's your faithful partner for your relaxing moments, for reading, for meditation.

It's your soul special place.





KATE

Pag.- 49 -





KATE

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto in poliuretano rigido.

Moulded flexible polyurethane shell with rigid polyurethane frame .

Ilpoflex CB foam
Cod. 09102
Ilpoflex BS foam
Cod. 09103

Shell weight: 17,8 kg

1 Volume: 0,69 m³
Weight: 22,4 kg

Standard order quantity:
6 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
3,0 m

Basi - *Bases*

BAS135



Base a 4 razze in acciaio verniciata nero girevole, 5°.

4 spoke black painted swivel steel base, 5°.

Weight 6,6 kg

2 Volume: 0,22 m³
Weight: 15,6 kg

mininum order quantity:
2 pieces

BAS136



Base a 4 razze in acciaio verniciata nero girevole, 10°.

4 spoke black painted swivel steel base, 10°.

Weight 6,7 kg

2 Volume: 0,22 m³
Weight: 15,8 kg

mininum order quantity:
2 pieces

BAS137



Base a 4 razze in acciaio verniciata nero girevole, tilt.

4 spoke black painted swivel steel base, tilt.

Weight 7,2 kg

2 Volume: 0,22 m³
Weight: 16,8 kg

mininum order quantity:
2 pieces

BAS139



Base a 4 razze in alluminio lucida girevole con tilt.

4 spoke polished aluminum swivel base, tilt.

Weight 5,7 kg

1 Volume: 0,05 m³
Weight: 6,4 kg

mininum order quantity:
2 pieces

BAS146



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs natural painted beech base.

Weight 3,2 kg

2 Volume: 0,22 m³
Weight: 8,9 kg

mininum order quantity:
2 pieces

BAS147



Base a 4 gambe in legno di faggio. Colore su richiesta.

4 legs painted beech base. Color on demand.

Weight 3,2 kg

2 Volume: 0,22 m³
Weight: 8,9 kg

mininum order quantity:
30 pieces

BAS148



Base a 4 gambe in legno di faggio grezza.

4 legs raw beech base.

Weight 3,2 kg


2 Volume: 0,22 m³
Weight: 8,9 kg

mininum order quantity:
2 pieces

Prodotto finito - *Finished products*

IDKATE-135






Weight 23,5 kg

1 Volume: 0,94 m³
Weight: 29,1 kg

Minimum order quantity:
6 pieces

IDKATE-136






Weight 23,5 kg

1 Volume: 0,94 m³
Weight: 29,1 kg

Minimum order quantity:
6 pieces

IDKATE-137






Weight 23,5 kg

1 Volume: 0,94 m³
Weight: 29,1 kg

Minimum order quantity:
6 pieces

IDKATE-139






Weight 24,2 kg

1 Volume: 0,94 m³
Weight: 29,8 kg

Minimum order quantity:
6 pieces

IDKATE-146






Weight 20,6 kg

1 Volume: 0,94 m³
Weight: 26,2 kg

Minimum order quantity:
6 pieces

IDKATE-147






Weight 20,6 kg

1 Volume: 0,94 m³
Weight: 26,2 kg

Minimum order quantity:
30 pieces

IDKATE-148





Weight 20,6 kg

1 Volume: 0,94 m³
Weight: 26,2 kg

Minimum order quantity:
6 pieces

Dimensions in mm



FIKO

Design Giorgio Gurioli

Grazie al suo design essenziale e senza tempo, si abbina facilmente a qualsiasi lounge completandola e donando maggior comfort ed eleganza.

Thanks to its essential and timeless design, it easily matches any lounge, completing it and giving greater comfort and elegance.







FIKO

Pag.- 53 -






FIKO

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with wood frame

Ilpoflex CB foam
Cod. 09453
Ilpoflex BS foam
Cod. 09543

Shell weight: 2,55 kg

3 Volume: 0,22 m³
Weight: 10,2 kg

Standard order quantity:
6 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,4 m

Basi - *Bases*

BAS140



Base a 4 razze in alluminio lucida girevole, 0°.

4 spoke polished aluminum swivel base, 0°.


Weight
3,9 kg

1 Volume: 0,05 m³
Weight: 4,6 kg

mininum order quantity:
2 pieces

IDFIKO-140





Weight
6,25 kg

1

Volume: 0,31 m³
Weight: 8,2 kg

Minimum order quantity:
6 pieces

Dimensions in mm



KLOUD

Design Alessandro Zanella

Kloud è soffice e delicata come una nuvola, le sue linee pulite e armoniose la rendono perfetta per momenti living e contract.

Kloud is soft and gentle like a cloud, its clean and harmonious lines make it perfect for living and contract moments.











KLOUD


Pag.- 57 -



KLOUD

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 09843
Ilpoflex BS foam
Cod. 09844

Shell weight: 14,5 kg

1 Volume: 0,56 m³
Weight: 19,2 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
2,7 m

Basi - *Bases*

BAS149



Base a 4 razze in alluminio lucida girevole, tilt.

4 spoke polished aluminum swivel base, tilt.

Weight 5,6 kg

1 Volume: 0,05 m³
Weight: 6,3 kg

mininum order quantity:
4 pieces

BAS167



Base a 4 razze in acciaio verniciata nero girevole, 10°.

4 spoke black painted steel swivel base, 10°.

Weight 6,7 kg

2 Volume: 0,22 m³
Weight: 16,0 kg

mininum order quantity:
2 pieces

BAS157



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs natural painted beech base.

Weight 3,2 kg

2 Volume: 0,22 m³
Weight: 8,9 kg

mininum order quantity:
2 pieces

BAS158



Base a 4 gambe in legno di faggio. Colore su richiesta.

4 legs painted beech base, color on demand.

Weight 3,2 kg

2 Volume: 0,22 m³
Weight: 8,9 kg

mininum order quantity:
30 pieces

BAS159



Base a 4 gambe in legno di faggio grezza.

4 legs raw beech base.

Weight 3,2 kg


2 Volume: 0,22 m³
Weight: 8,9 kg

mininum order quantity:
2 pieces

Prodotto finito - *Finished products*

IDKLOUD-149






Weight
21,1 kg

Volume: 0,69 m³
Weight: 25,8 kg

Minimum order quantity:
8 pieces

IDKLOUD-167






Weight
22,2 kg

Volume: 0,69 m³
Weight: 26,9 kg

Minimum order quantity:
8 pieces

IDKLOUD-157






Weight
18,7 kg

Volume: 0,69 m³
Weight: 23,4 kg

Minimum order quantity:
8 pieces

IDKLOUD-158






Weight
18,7 kg

Volume: 0,69 m³
Weight: 23,4 kg

Minimum order quantity:
8 pieces

IDKLOUD-159





Weight
18,7 kg

Volume: 0,69 m³
Weight: 23,4 kg

Minimum order quantity:
8 pieces


Dimensions in mm



KLOUD

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 09843
Ilpoflex BS foam
Cod. 09844

Shell weight: 14,5 kg

1 Volume: 0,56 m³
Weight: 19,2 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
2,7 m

Basi - *Bases*

BAS163



Base a 4 razze in alluminio lucida girevole, tilt.

4 spoke polished aluminum swivel base, tilt.

Weight 2,9 kg

2 Volume: 0,22 m³
Weight: 9,0 kg

mininum order quantity:
4 pieces

BAS169



Base a 4 razze in alluminio verniciato nero girevole, tilt.

4 spoke black painted aluminum swivel base, tilt.

Weight 2,9 kg


2 Volume: 0,22 m³
Weight: 9,0 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDKLOUD-163





Weight
18,4 kg


1

Volume: 0,69 m³
Weight: 23,1 kg

Minimum order quantity:
8 pieces

IDKLOUD-169





Weight
18,4 kg

1

Volume: 0,69 m³
Weight: 23,1 kg

Minimum order quantity:
8 pieces

Dimensions in mm



VICKY PURE

Design Giancarlo Vegni

La linea di Vicky Pure è delicata e avvolgente come un fiore. Il suo carattere iconico la rende un classico del design dal profilo sottile e slanciato.

The Vicky Pure line is delicate and enveloping like a flower. Its iconic character makes it a design classic with a slim and slender profile.









VICKY PURE

Pag.- 63 -



interzum Award


High product quality



VICKY PURE

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto in poliuretano rigido.

Moulded flexible polyurethane shell with rigid polyurethane frame .

Ilpoflex CB foam
Cod. 08603
Ilpoflex BS foam
Cod. 08604

Shell weight: 5,95 kg

1 Volume: 0,22 m³
Weight: 8,45 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,2 m

Basi - *Bases*

BAS097



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs natural painted beech basewood.

Weight 2,9 kg

4 Volume: 0,22 m³
Weight: 14,0 kg

mininum order quantity:
8 pieces

BAS102



Base in legno di frassino verniciata naturale girevole, 3°.

Natural painted ash wood swivel base, 3°.

Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,7 kg

mininum order quantity:
4 pieces

BAS069



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs solid natural painted beech base.

Weight 2,7 kg

4 Volume: 0,22 m³
Weight: 13,3 kg

mininum order quantity:
4 pieces

BAS092



Base a 4 gambe in legno di faggio grezza.

4 legs solid raw beech base.

Weight 2,7 kg

4 Volume: 0,22 m³
Weight: 13,3 kg

mininum order quantity:
4 pieces

BAS025



Base in tubo d'acciaio conificato cromata girevole 3°.

Chromed tapered steel swivel base 3°.


Weight 3,6 kg

4 Volume: 0,22 m³
Weight: 17,0 kg

mininum order quantity:
4 pieces

IDVICKYPURE-097








Weight
8,9 kg

Volume: 0,46 m³
Weight: 12,1 kg

Minimum order quantity:
8 pieces

IDVICKYPURE-102








Weight
8,6 kg


Volume: 0,46 m³
Weight: 11,8 kg

Minimum order quantity:
8 pieces

IDVICKYPURE-069








Weight
8,7 kg


Volume: 0,46 m³
Weight: 11,9 kg

Minimum order quantity:
8 pieces

IDVICKYPURE-092








Weight
8,7 kg

Volume: 0,46 m³
Weight: 11,9 kg

Minimum order quantity:
8 pieces

IDVICKYPURE-025







Weight
9,7 kg

Volume: 0,46 m³
Weight: 12,9 kg

Minimum order quantity:
8 pieces

Dimensions in mm



VICKY PURE

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto in poliuretano rigido.

Moulded flexible polyurethane shell with rigid polyurethane frame .

Ilpoflex CB foam
Cod. 08603
Ilpoflex BS foam
Cod. 08604

Shell weight: 5,95 kg

1 Volume: 0,22 m³
Weight: 8,45 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,2 m

Basi - *Bases*

BAS002



Base a 5 razze in alluminio lucida girevole con ruote, regolabile in altezza, 3°.

5 spoke aluminum swivel base with castors, adjustable height, 3°.

Weight 4,3 kg

1 Volume: 0,05 m³
Weight: 5,0 kg

mininum order quantity:
2 pieces

BAS073



Base a disco in acciaio inox 430 spazzolata autoallineante, 3°.

Disc self-aligning base, brushed stainless steel 430, 3°

Weight 11,2 kg

1 Volume: 0,05 m³
Weight: 11,9 kg

mininum order quantity:
2 pieces

BAS017



Base a 4 razze in alluminio autoallineante, 3°.

4 spoke aluminum self-aligning base, 3°.

Weight 3,7 kg

1 Volume: 0,05 m³
Weight: 4,4 kg

mininum order quantity:
4 pieces

BAS104



Base a 4 razze in acciaio cromata girevole, 3°.

4 spoke chromed steel swivel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS113



Base a 4 lame in acciaio verniciata nero girevole, 3°.

4 spoke black painted swivel steel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole, 3°.

Chromed tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS103



Base in tubo d'acciaio verniciata nero girevole, 3°.

Black painted tubular steel swivel base, 3°.

Weight 2,8 kg


4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDVICKYPURE-002





Weight
10,2 kg


1

Volume: 0,46 m³
Weight: 13,4 kg

Minimum order quantity:
8 pieces

IDVICKYPURE-073





Weight
18,7 kg


1

Volume: 0,46 m³
Weight: 21,9 kg

Minimum order quantity:
8 pieces

IDVICKYPURE-017





Weight
10,1 kg


1

Volume: 0,46 m³
Weight: 13,3 kg

Minimum order quantity:
8 pieces

IDVICKYPURE-104





Weight
9,7 kg


1

Volume: 0,46 m³
Weight: 12,9 kg

Minimum order quantity:
8 pieces

IDVICKYPURE-113





Weight
9,5 kg


1

Volume: 0,46 m³
Weight: 12,7 kg

Minimum order quantity:
8 pieces

IDVICKYPURE-106





Weight
8,9 kg


1

Volume: 0,46 m³
Weight: 12,1 kg

Minimum order quantity:
8 pieces

IDVICKYPURE-103





Weight
8,9 kg

1

Volume: 0,46 m³
Weight: 12,1 kg

Minimum order quantity:
8 pieces

Dimensions in mm



WELKOME XL

Design R&D ILPODESIGN

Eleva il comfort al quadrato: accoglie in modo ergonomico per un vero relax. Perfetta per il contract dell'Hospitality e per il living, permetterà di perdersi nella sensazione di morbidezza avvolgente.

Squares comfort: it accommodates ergonomically for true relax. Perfect for the Hospitality contract and for the living room, it will allow you to get lost in the sensation of a surronding softness.









WELKOME XL

Pag.- 69 -





WELKOME XL

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 09522
Ilpoflex BS foam
Cod. 09523

Shell weight: 20,0 kg

1 Volume: 0,55 m³
Weight: 25,5 kg

Standard order quantity:
6 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
3,8 m

Basi - *Bases*

BAS154



Base a 4 razze in acciaio verniciata nero girevole, tilt.

4 spoke black painted steel swivel base, tilt.

Weight 7,1 kg

2 Volume: 0,22 m³
Weight: 16,6 kg

mininum order quantity:
2 pieces

BAS149



Base a 4 razze in alluminio lucida girevole, tilt.

4 spoke polished aluminum swivel base, tilt.

Weight 5,6 kg

1 Volume: 0,05 m³
Weight: 6,3 kg

mininum order quantity:
2 pieces

BAS168



Base a 4 razze in acciaio verniciata nero girevole, 10°.

4 spoke black painted steel swivel base, 10°.

Weight 6,7 kg

2 Volume: 0,22 m³
Weight: 16,0 kg

mininum order quantity:
2 pieces

BAS157



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs natural painted beech base.

Weight 3,2 kg

2 Volume: 0,22 m³
Weight: 8,9 kg

mininum order quantity:
2 pieces

BAS158



Base a 4 gambe in legno di faggio. Colore su richiesta.

4 legs painted beech base, color on demand.

Weight 3,2 kg

2 Volume: 0,22 m³
Weight: 8,9 kg

mininum order quantity:
30 pieces

BAS159



Base a 4 gambe in legno di faggio grezza.

4 legs raw beech base.

Weight 3,2 kg


2 Volume: 0,22 m³
Weight: 8,9 kg

mininum order quantity:
2 pieces

Prodotto finito - *Finished products*

IDWELKOMEXL-154






Weight 25,8 kg

Volume: 1,14 m³
Weight: 31,4 kg

Minimum order quantity: 6 pieces

IDWELKOMEXL-149






Weight 26,5 kg

Volume: 1,14 m³
Weight: 32,1 kg

Minimum order quantity: 6 pieces

IDWELKOMEXL-168






Weight 26,7 kg

Volume: 1,14 m³
Weight: 34,5 kg

Minimum order quantity: 6 pieces

IDWELKOMEXL-157






Weight 28,5 kg

Volume: 1,14 m³
Weight: 34,1 kg

Minimum order quantity: 6 pieces

IDWELKOMEXL-158






Weight 28,5 kg

Volume: 1,14 m³
Weight: 34,1 kg

Minimum order quantity: 30 pieces

IDWELKOMEXL-159





Weight 28,5 kg

Volume: 1,14 m³
Weight: 34,1 kg

Minimum order quantity: 6 pieces

Dimensions in mm



WELKOME

Design R&D ILPODESIGN

Welkome è il connubio perfetto di forma e comfort. Il design è comodo e moderno. Le linee morbide dei braccioli si fondono con la seduta in un tutt'uno, a sottolineare come la sua seduta sia ampia e spaziosa così da lasciare piena libertà di sedersi anche in modi informali. Pensata per il contract dell'hospitality, si colloca perfettamente anche in spazi living attuali caratterizzandoli con la sua presenza.

Welkome is the perfect combination between form and comfort. The design is comfortable and modern. The soft lines of the armrests blend seamlessly with the seat, emphasizing the wide and spacious seat, allowing an informal way to seat. Designed for hospitality, it also fits perfectly into contemporary living spaces, adding character with its presence.












WELKOME

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 08925
Ilpoflex BS foam
Cod. 08926

Shell weight: 15,8 kg

1 Volume: 0,55 m³
Weight: 21,4 kg

Standard order quantity:
6 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
3,0 m

Basi - *Bases*

BAS116



Base a 4 lame in acciaio verniciata nero girevole, 3°.

4 spoke black painted swivel steel base.

Weight 4,3 kg

2 Volume: 0,22 m³
Weight: 15,5 kg

mininum order quantity:
2 pieces

BAS119



Base a disco in acciaio inox 430 spazzolata girevole, 3°.

Disc swivel base, brushed stainless steel 430, 3°.

Weight 13,5 kg

1 Volume: 0,05 m³
Weight: 14,2 kg

mininum order quantity:
2 pieces

BAS150



Base a 4 razze in alluminio lucida girevole, 3°.

4 spoke polished aluminum swivel base, 3°

Weight 6,3 kg


1 Volume: 0,05 m³
Weight: 7,0 kg

mininum order quantity:
2 pieces

Prodotto finito - *Finished products*

IDWELKOME-116





Weight
20,8 kg


1

Volume: 0,64 m³
Weight: 26,4 kg

Minimum order quantity:
6 pieces

IDWELKOME-119





Weight
29,0 kg


1

Volume: 0,64 m³
Weight: 34,6 kg

Minimum order quantity:
6 pieces

IDWELKOME-150





Weight
22,3 kg

1

Volume: 0,64 m³
Weight: 27,9 kg

Minimum order quantity:
6 pieces

Dimensions in mm



KISS PLUS

Design R&D ILPODESIGN

Kiss Plus, morbida e accomodante, vi accoglie con le sue forme avvogenti e in assenza di spigoli, ancora più impreziosite dallo schienale in poliuretano nero rigido. Le sue linee dal design scandinavo la rendono versatile nell'utilizzo sia negli ambienti pubblici che in quelli domestici.

Kiss Plus, soft and accommodating, welcomes you with its enveloping shapes and absence of edges, even more embellished by the rigid black polyurethane backrest. Its Scandinavian design lines make it versatile for use in both public and domestic environments.









KISS PLUS

Pag.- 77 -






KISS PLUS

Componente non rivestito

Not upholstered component



Schienale stampato in poliuretano flessibile con inserto in poliuretano rigido verniciato nero. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane backrest with black painted rigid polyurethane frame inside. Moulded flexible polyurethane seat with wooden frame

Ilpoflex CB foam
Cod. 08721
Ilpoflex BS foam
Cod. 08722

Shell weight: 8,5 kg

2 Volume: 0,31 m³
Weight: 18,9 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,1 m

Basi - *Bases*

BAS107



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs solid natural painted beech base.

Weight 4,5 kg

2 Volume: 0,42 m³
Weight: 13,8 kg

mininum order quantity:
2 pieces

BAS117



Base a 4 gambe in legno di faggio. Colore su richiesta.

4 legs painted beech base. Color on demand.

Weight 4,5 kg

2 Volume: 0,42 m³
Weight: 13,8 kg

mininum order quantity:
30 pieces

BAS108



Base a 4 gambe in legno di faggio grezza.

4 legs solid raw beech base.

Weight 4,5 kg

2 Volume: 0,42 m³
Weight: 13,8 kg

mininum order quantity:
2 pieces

BAS109



Base a 4 razze in acciaio verniciata nero girevole con supporto schienale, 3°.

4 spoke black painted steel swivel base with linking device, 3°.

Weight 10,0 kg


2 Volume: 0,22 m³
Weight: 22,5 kg


mininum order quantity:
2 pieces

* Accessori disponibili alla pagina 260
** Available accessories on page 260*

IDKISSPLUS-107







Weight
13,0 kg


1


Volume: 0,69 m³
Weight: 17,7 kg

Minimum order quantity:
6 pieces

IDKISSPLUS-117







Weight
13,0 kg


1


Volume: 0,69 m³
Weight: 17,7 kg

Minimum order quantity:
30 pieces

IDKISSPLUS-108







Weight
13,0 kg

1


Volume: 0,69 m³
Weight: 17,7 kg

Minimum order quantity:
6 pieces

IDKISSPLUS-109







Weight
18,5 kg

1

Volume: 0,69 m³
Weight: 23,2 kg

Minimum order quantity:
6 pieces

Dimensions in mm



KISS

Design R&D ILPODESIGN

Con le sue forme esaltate dall'assenza totale di spigoli, Kiss accoglie, morbida e accomodante. Il suo design scandinavo le conferisce una versatilità d'utilizzo che la rende perfetta negli spazi pubblici come negli ambienti domestici.

With its shapes enhanced by the total absence of edges, Kiss welcomes, soft and accommodating. Its Scandinavian design gives it a versatility of use which makes it perfect in public spaces as in domestic environments.









KISS

Pag.- 81 -






KISS

Componente non rivestito

Not upholstered component



Schienale stampato in poliuretano flessibile con inserto in poliuretano rigido verniciato nero. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane backrest with black painted rigid polyurethane frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 08646
Ilpoflex BS foam
Cod. 08647

Shell weight: 7,5 kg

2 Volume: 0,34 m³
Weight: 16,9 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,7 m

Basi - *Bases*

BAS107



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs solid natural painted beech base.

Weight 4,5 kg

2 Volume: 0,42 m³
Weight: 13,8 kg

mininum order quantity:
2 pieces

BAS117



Base a 4 gambe in legno di faggio. Colore su richiesta.

4 legs painted beech base. Color on demand.

Weight 4,5 kg

2 Volume: 0,42 m³
Weight: 13,8 kg

mininum order quantity:
30 pieces

BAS108



Base a 4 gambe in legno di faggio grezza.

4 legs solid raw beech base.

Weight 4,5 kg

2 Volume: 0,42 m³
Weight: 13,8 kg

mininum order quantity:
2 pieces

BAS109



Base a 4 razze in acciaio verniciata nero girevole con supporto schienale, 3°.

4 spoke black painted steel swivel base with linking device, 3°.

Weight 10,0 kg

2 Volume: 0,22 m³
Weight: 12,5 kg


mininum order quantity:
2 pieces

* Accessori disponibili alla pagina 260
** Available accessories on page 260*

Prodotto finito - *Finished products*

IDKISS-107





Weight
12,0 kg


1

Volume: 0,69 m³
Weight: 16,7 kg

Minimum order quantity:
8 pieces

IDKISS-117





Weight
12,0 kg


1

Volume: 0,69 m³
Weight: 16,7 kg

Minimum order quantity:
30 pieces

IDKISS-108





Weight
12,0 kg


1

Volume: 0,69 m³
Weight: 16,7 kg

Minimum order quantity:
8 pieces

IDKISS-109





Weight
17,5 kg

1

Volume: 0,69 m³
Weight: 22,2 kg

Minimum order quantity:
8 pieces

Dimensions in mm



ARKO

Design R&D ILPODESIGN

Seduta progettata per spazi di lavoro aperti e aree lounge. La forma della poltrona crea un senso di privacy e riservatezza. Il linguaggio della forma combina fianchi avvolgenti con una seduta morbida e confortevole.

Designed for open workspaces and lounge areas. Its lines create a sense of privacy and confidentiality. The language of it shape combines surrounding sides with a soft and comfortable seat.









ARKO

Pag.- 85 -






ARKO

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 09495
Ilpoflex BS foam
Cod. 09500

Shell weight: 8,8 kg

1 Volume: 0,26 m³
Weight: 11,2 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
2,0 m

Basi - *Bases*

BAS141



Base a 4 razze in alluminio lucida girevole, 3°.

4 spoke polished aluminum swivel base, 3°.

Weight 3,8 kg

1 Volume: 0,05 m³
Weight: 4,5 kg

mininum order quantity:
2 pieces

BAS142



Base a 4 razze in alluminio lucida a 3°, autoallineante.

Self-aligning 4 spoke polished aluminum swivel base, 3°.

Weight 3,8 kg

1 Volume: 0,05 m³
Weight: 4,5 kg

mininum order quantity:
2 pieces

BAS145



Base a 4 razze in acciaio verniciata nero girevole, 3°.

4 spoke black painted steel swivel base, 3°.

Weight 4,1 kg

4 Volume: 0,22 m³
Weight: 19,0 kg

mininum order quantity:
4 pieces

BAS143



Base a disco in acciaio inox 430 spazzolata girevole, 3°.

Disc swivel base, brushed stainless steel 430, 3°.

Weight 11,0 kg

1 Volume: 0,05 m³
Weight: 11,7 kg

mininum order quantity:
2 pieces

BAS144



Base a disco in acciaio inox spazzolata autoallineante, 3°

Disc self-aligning base, brushed stainless steel, 3°


Weight 11,0 kg

1 Volume: 0,05 m³
Weight: 11,7 kg

mininum order quantity:
2 pieces

IDARKO-141






Weight 12,0 kg

Volume: 0,46 m³
Weight: 15,2 kg

Minimum order quantity: 8 pieces

IDARKO-142






Weight 12,0 kg

Volume: 0,46 m³
Weight: 15,2 kg

Minimum order quantity: 8 pieces

IDARKO-145






Weight 12,7 kg

Volume: 0,46 m³
Weight: 15,9 kg

Minimum order quantity: 8 pieces

IDARKO-143






Weight 22,0 kg

Volume: 0,46 m³
Weight: 25,2 kg

Minimum order quantity: 8 pieces

IDARKO-144





Weight 22,0 kg

Volume: 0,46 m³
Weight: 25,2 kg

Minimum order quantity: 8 pieces

Dimensions in mm



EKO

Design R&D ILPODESIGN

La poltroncina Eko si rende adatta a molti ambienti, soprattutto residenziali e commerciali. Il suo stile pulito e armonioso, rifinito da un avvolgente schienale, rendono Eko una seduta molto piacevole. Lo schienale separato dalla seduta offre la possibilità di poter scegliere tra infinite combinazioni di colori.

The Eko armchair is suitable for many environments, especially residential and commercial.
Its clean and harmonious style, finished with an enveloping backrest, make Eko a very pleasant seat. The backrest separated from the seat offers the possibility of choosing between infinite color combinations.









EKO

Pag.- 89 -






EKO

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 08552
Ilpoflex BS foam
Cod. 08553

Shell weight: 6,3 kg

2 Volume: 0,28 m³
Weight: 14,4 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,7 m

Basi - *Bases*

BAS002



Base a 5 razze in alluminio lucida girevole con ruote, regolabile in altezza, 3.°

5 spoke aluminum swivel base with castors, adjustable height, 3°

Weight 4,3 kg

1 Volume: 0,05 m³
Weight: 5,0 kg

mininum order quantity:
2 pieces

BAS073



Base a disco in acciaio inox 430 spazzolata autoallineante, 3°.

Disc self-aligning base, brushed stainless steel 430, 3°.

Weight 11,2 kg

1 Volume: 0,05 m³
Weight: 11,9 kg

mininum order quantity:
2 pieces

BAS102



Base in legno di frassino verniciata naturale girevole, 3°.

Natural painted ash wood swivel base, 3°.

Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,7 kg

mininum order quantity:
4 pieces

BAS104



Base a 4 razze in acciaio cromata girevole, 3°.

4 spoke chromed steel swivel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS113



Base a 4 lame in acciaio verniciata nero girevole, 3°.

4 spoke black painted swivel steel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole, 3°.

Chromed tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS103



Base in tubo d'acciaio verniciata nero girevole, 3°.

Black painted tubular steel swivel base, 3°.

Weight 2,8 kg


4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDEKO-002






Weight
10,3 kg

Volume: 0,46 m³
Weight: 13,7 kg

Minimum order quantity:
8 pieces

IDEKO-073






Weight
18,9 kg

Volume: 0,46 m³
Weight: 22,2 kg

Minimum order quantity:
8 pieces

IDEKO-102






Weight
8,9 kg

Volume: 0,46 m³
Weight: 12,1 kg

Minimum order quantity:
8 pieces

IDEKO-104






Weight
9,3 kg

Volume: 0,46 m³
Weight: 12,5 kg

Minimum order quantity:
8 pieces

IDEKO-113






Weight
9,8 kg

Volume: 0,46 m³
Weight: 13,0 kg

Minimum order quantity:
8 pieces

IDEKO-106






Weight
9,2 kg

Volume: 0,46 m³
Weight: 12,4 kg

Minimum order quantity:
8 pieces

IDEKO-103





Weight
9,2 kg

Volume: 0,46 m³
Weight: 12,4 kg

Minimum order quantity:
8 pieces

Dimensions in mm



EKO PLUS

Design R&D ILPODESIGN

La poltroncina Eko Plus, impreziosita dalla scocca posteriore in poliuretano nero rigido che ne esalta le linee pulite ed essenziali, conferma di essere una seduta invitante. La possibilità di poter diversificare i colori grazie allo schienale separato, rende Eko Plus adattabile a spazi residenziali e commerciali.

The Eko Plus armchair, embellished with a rear shell in rigid black polyurethane which enhances its clean and essential lines, confirms that it is an inviting seat. The possibility of being able to diversify the colors thanks to the separate backrest makes Eko Plus adaptable to residential and commercial spaces.










EKO PLUS

Pag.- 93 -






EKO PLUS

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 08878
Ilpoflex BS foam
Cod. 08879

Shell weight: 7,3 kg

2 Volume: 0,28 m³
Weight: 16,5 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,2 m

Basi - *Bases*

BAS002



Base a 5 razze in alluminio lucida girevole con ruote, regolabile in altezza, 3°.

5 spoke aluminum swivel base with castors, adjustable height, 3°.

Weight 4,3 kg

1 Volume: 0,05 m³
Weight: 5,0 kg

mininum order quantity:
2 piece

BAS073



Base a disco in acciaio inox 430 spazzolata autoallineante, 3°.

Disc self-aligning base, brushed stainless steel 430, 3°.

Weight 11,2 kg

1 Volume: 0,05 m³
Weight: 11,9 kg

mininum order quantity:
2 pieces

BAS102



Base in legno di frassino verniciata naturale girevole, 3°.

Natural painted ash wood swivel base, 3°.

Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,7 kg

mininum order quantity:
4 pieces

BAS104



Base a 4 razze in acciaio cromata girevole, 3°.

4 spoke chromed steel swivel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS113



Base a 4 lame in acciaio verniciata nero girevole, 3°.

4 spoke black painted swivel steel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole, 3°.

Chromed tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS103



Base in tubo d'acciaio verniciata nero girevole, 3°.

Black painted tubular steel swivel base, 3°.

Weight 2,8 kg


4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDEKOPLUS-002





Weight
11,3 kg


1

Volume: 0,46 m³
Weight: 14,7 kg

Minimum order quantity:
8 pieces

IDEKOPLUS-073





Weight
19,9 kg


1

Volume: 0,46 m³
Weight: 23,2 kg

Minimum order quantity:
8 pieces

IDEKOPLUS-102





Weight
9,9 kg


1

Volume: 0,46 m³
Weight: 13,1 kg

Minimum order quantity:
8 pieces

IDEKOPLUS-104





Weight
10,3 kg

1

Volume: 0,46 m³
Weight: 13,5 kg

Minimum order quantity:
8 pieces

IDEKOPLUS-113





Weight
10,8 kg


1

Volume: 0,46 m³
Weight: 14,0 kg

Minimum order quantity:
8 pieces

IDEKOPLUS-106





Weight
10,2 kg


1

Volume: 0,46 m³
Weight: 13,4 kg

Minimum order quantity:
8 pieces

IDEKOPLUS-103





Weight
10,2 kg

1

Volume: 0,46 m³
Weight: 13,4 kg

Minimum order quantity:
8 pieces

Dimensions in mm



LIKE

Design R&D ILPODESIGN

Con le sue linee pulite e armoniose e la forma avvolgente dello schienale, Like è una seduta invitante. Lo schienale separato dalla seduta permette di giocare con infinite combinazioni di colori. Like si rende adatta a spazi residenziali e commerciali.

With its clean and harmonious lines and the enveloping shape of the backrest, Like it is an inviting seating. The backrest separated from the seat allows to playwith infinite color combinations. Like is suitable for residential and commercial spaces.









LIKE

Pag.- 97 -






LIKE

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 08543
Ilpoflex BS foam
Cod. 08544

Shell weight: 5,35 kg

4 Volume: 0,31 m³
Weight: 23,3 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,2 m

Basi - *Bases*

BAS002



Base a 5 razze in alluminio lucida girevole con ruote, regolabile in altezza, 3°.

5 spoke aluminum swivel base with castors, adjustable height, 3°

Weight 4,3 kg

1 Volume: 0,05 m³
Weight: 5,0 kg

mininum order quantity:
2 pieces

BAS073



Base disco in acciaio inox 430 spazzolata autoallineante, 3°.

Disc self-aligning base, brushed stainless steel 430, 3°.

Weight 11,2 kg

1 Volume: 0,05 m³
Weight: 11,9 kg

mininum order quantity:
2 pieces

BAS102



Base in legno di frassino verniciata naturale girevole, 3°.

Natural painted ash wood swivel base, 3°.

Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,7 kg

mininum order quantity:
4 pieces

BAS104



Base a 4 razze in acciaio cromata girevole, 3°

4 spoke chromed steel swivel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS113



Base a 4 lame in acciaio verniciata nero girevole, 3°.

4 spoke black painted swivel steel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole, 3°.

Chromed tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS103



Base in tubo d'acciaio verniciata nero girevole, 3°.

Black painted tubular steel swivel base, 3°.

Weight 2,8 kg


4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDLIKE-002





Weight
9,6 kg


1

Volume: 0,46 m³
Weight: 12,8 kg

Minimum order quantity:
8 pieces

IDLIKE-073





Weight
18,1 kg


1

Volume: 0,46 m³
Weight: 21,3 kg

Minimum order quantity:
8 pieces

IDLIKE-102





Weight
8,0 kg


1

Volume: 0,46 m³
Weight: 11,2 kg

Minimum order quantity:
8 pieces

IDLIKE-104





Weight
9,1 kg


1

Volume: 0,46 m³
Weight: 12,3 kg

Minimum order quantity:
8 pieces

IDLIKE-113





Weight
8,9 kg


1

Volume: 0,46 m³
Weight: 12,1 kg

Minimum order quantity:
8 pieces

IDLIKE-106





Weight
8,3 kg


1

Volume: 0,46 m³
Weight: 11,5 kg

Minimum order quantity:
8 pieces

IDLIKE-103





Weight
10,2 kg

1

Volume: 0,46 m³
Weight: 13,4 kg

Minimum order quantity:
8 pieces

Dimensions in mm



LIKE PLUS

Design R&D ILPODESIGN


Like Plus è una seduta dal design elegante, ideale per arredare ambienti residenziali e commerciali. La sua forma avvolgente e pulita, conferisce un aspetto accogliente e contemporaneo. La possibilità di personalizzare lo schienale e la seduta con diverse combinazioni di colori consente di adattarla perfettamente a qualsiasi esigenza.

Like Plus is a seat with an elegant design, ideal for furnishing residential and commercial environments. Its enveloping and clean shape gives it a welcoming and contemporary look. The possibility of customizing the backrest and seat with different color combinations allows it to be perfectly adapted to any requirement.











LIKE PLUS


Pag.- 101 -



LIKE PLUS

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 08880
Ilpoflex BS foam
Cod. 08881

Shell weight: 5,9 kg

4 Volume: 0,31 m³
Weight: 13,7 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,0 m

Basi - *Bases*

BAS002



Base a 5 razze in alluminio lucida girevole con ruote, regolabile in altezza, 3°.

5 spoke aluminum swivel base with castors, adjustable height, 3°.

Weight 4,3 kg

1 Volume: 0,05 m³
Weight: 5,0 kg

mininum order quantity:
2 pieces

BAS073



Base a disco in acciaio inox 430 spazzolata autoallineante, 3°.

Disc self-aligning base, brushed stainless steel 430, 3°.

Weight 11,2 kg

1 Volume: 0,05 m³
Weight: 11,9 kg

mininum order quantity:
2 pieces

BAS102



Base in legno di frassino verniciata naturale girevole, 3°.

Natural painted ash wood swivel base, 3°.

Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,7 kg

mininum order quantity:
4 pieces

BAS104



Base a 4 razze in acciaio cromata girevole, 3°.

4 spoke chromed steel swivel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS113



Base a 4 lame in acciaio verniciata nero girevole, 3°.

4 spoke black painted swivel steel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole, 3°.

Chromed tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS103



Base in tubo d'acciaio verniciata nero girevole, 3°.

Black painted tubular steel swivel base, 3°.

Weight 2,8 kg


4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDLIKEPLUS-002






Weight 10,1 kg

1 Volume: 0,46 m³
Weight: 13,3 kg

Minimum order quantity:
8 pieces

IDLIKEPLUS-073






Weight 18,6 kg

1 Volume: 0,46 m³
Weight: 21,8 kg

Minimum order quantity:
8 pieces

IDLIKEPLUS-102






Weight 8,5 kg

1 Volume: 0,46 m³
Weight: 11,7 kg

Minimum order quantity:
8 pieces

IDLIKEPLUS-104






Weight 9,6 kg

1 Volume: 0,46 m³
Weight: 12,8 kg

Minimum order quantity:
8 pieces

IDLIKEPLUS-113






Weight 9,4 kg

1 Volume: 0,46 m³
Weight: 12,6 kg

Minimum order quantity:
8 pieces

IDLIKEPLUS-106






Weight 8,8 kg

1 Volume: 0,46 m³
Weight: 12,0 kg

Minimum order quantity:
8 pieces

IDLIKEPLUS-103





Weight 10,7 kg

1 Volume: 0,46 m³
Weight: 13,9 kg

Minimum order quantity:
8 pieces

Dimensions in mm



KINZIKA L

Design Carlo Bimbi

Kinzika è la poltrona dove è piacevole tornare la sera, dopo una giornata impegnativa. Avvolgente, comoda, rassicurante, elegante, dinamica, è pensata per un comodo relax senza far venir meno il gusto per una linea moderna, fluida, dal design spigliato e deciso.

Kinzika is the armchair where it is pleasant to return in the evening, after a busy day. Enveloping, comfortable, reassuring, elegant, dynamic, it is designed for comfortable relaxation without compromising the taste for a modern, fluid line, with a lively and decisive design.







KINZIKA L

Pag.- 105 -






KINZIKA L

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 07856
Ilpoflex BS foam
Cod. 07857

Shell weight: 14,6 kg

1 Volume: 0,69 m³
Weight: 19,3 kg

Standard order quantity:
6 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
3,0 m

Basi - *Bases*

BAS077



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs solid natural painted beech base.

Weight 5,0 kg

2 Volume: 0,42 m³
Weight: 14,7 kg

mininum order quantity:
2 pieces

BAS112



Base a 4 gambe in legno di faggio. Colore su richiesta..

4 legs painted beech base. Color on demand.

Weight 5,0 kg

2 Volume: 0,42 m³
Weight: 14,7 kg

mininum order quantity:
30 pieces

BAS093



Base a 4 gambe in legno di faggio grezza.

4 legs solid raw beech base.

Weight 5,0 kg

2 Volume: 0,42 m³
Weight: 14,7 kg

mininum order quantity:
2 pieces

BAS068



Base a disco in acciaio inox 430 spazzolata, 0°.

Disc base, brushed stainless steel 430, 0°.

Weight 13,4 kg

1 Volume: 0,05 m³
Weight: 14,1 kg

mininum order quantity:
2 pieces

BAS115



Base a 4 lame in acciaio verniciata nero girevole, 0°.

4 spoke black painted swivel steel base, 0°.

Weight 6,6 kg

2 Volume: 0,22 m³
Weight: 15,6 kg


mininum order quantity:
2 pieces

* Accessori disponibili alla pagina 260
** Available accessories on page 260*

Prodotto finito - *Finished products*

IDKINZIKAL-077






Weight
19,1 kg

1 Volume: 0,69 m³
Weight: 23,8 kg

Minimum order quantity:
6 pieces

IDKINZIKAL-112






Weight
19,1 kg

1 Volume: 0,69 m³
Weight: 23,8 kg

Minimum order quantity:
30 pieces

IDKINZIKAL-093






Weight
19,1 kg

1 Volume: 0,69 m³
Weight: 23,8 kg

Minimum order quantity:
6 pieces

IDKINZIKAL-068






Weight
27,8 kg

1 Volume: 0,69 m³
Weight: 32,5 kg

Minimum order quantity:
6 pieces

IDKINZIKAL-115





Weight
19,9 kg

1 Volume: 0,69 m³
Weight: 24,6 kg

Minimum order quantity:
6 pieces

Dimensions in mm



KINZIKA M

Design Carlo Bimbi

Tra le Kinzika la media rappresenta la via di mezzo, adatta per spazi domestici come complemento ai divani o in quelli pubblici, come seduta da riposo o da conversazione.

Between Kinzika the medium representing the middle way, suitable for domestic spaces as a complement of sofa or in public spaces, as a seat of rest and conversation.









KINZIKA M

Pag.- 109 -





KINZIKA M

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 08088
Ilpoflex BS foam
Cod. 08086

Shell weight: 12,8 kg

1 Volume: 0,56 m³
Weight: 17,5 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
2,6 m

Basi - *Bases*

BAS077



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs solid natural painted beech base.

Weight 5,0 kg

2 Volume: 0,42 m³
Weight: 14,7 kg

mininum order quantity:
2 pieces

BAS112



Base a 4 gambe in legno di faggio. Colore su richiesta..

4 legs painted beech base. Color on demand.

Weight 5,0 kg

2 Volume: 0,42 m³
Weight: 14,7 kg

mininum order quantity:
30 pieces

BAS093



Base a 4 gambe in legno di faggio grezza.

4 legs solid raw beech base.

Weight 5,0 kg

2 Volume: 0,42 m³
Weight: 14,7 kg

mininum order quantity:
2 pieces

BAS068



Base a disco in acciaio inox 430 spazzolata, 0°

Disc base, brushed stainless steel 430, 0°.

Weight 13,4 kg

1 Volume: 0,05 m³
Weight: 14,1 kg

mininum order quantity:
2 pieces

BAS115



Base a 4 lame in acciaio verniciata nero girevole, 0°.

4 spoke black painted swivel steel base, 0°.

Weight 6,6 kg

2 Volume: 0,22 m³
Weight: 15,6 kg


mininum order quantity:
2 pieces

* Accessori disponibili alla pagina 260
** Available accessories on page 260*

Prodotto finito - *Finished products*

IDKINZIKAM-077





Weight
17,3 kg


1

Volume: 0,69 m³
Weight: 22,0 kg

Minimum order quantity:
8 pieces

IDKINZIKAM-112





Weight
17,3 kg


1

Volume: 0,69 m³
Weight: 22,0 kg

Minimum order quantity:
30 pieces

IDKINZIKAM-093





Weight
17,3 kg


1

Volume: 0,69 m³
Weight: 22,0 kg

Minimum order quantity:
8 pieces

IDKINZIKAM-068





Weight
26,0 kg


1

Volume: 0,69 m³
Weight: 30,7 kg

Minimum order quantity:
8 pieces

IDKINZIKAM-115





Weight
18,2 kg

1

Volume: 0,69 m³
Weight: 22,9 kg

Minimum order quantity:
8 pieces

Dimensions in mm



KINZIKA S

Design Carlo Bimbi

All’interno della famiglia Kinzika, la piccola si distingue per la sua duttilità. Grazie alle sue dimensioni è adatta per l’attesa in spazi pubblici o per conversazione in quelli privati e domestici.

Inside the Kinzika family, the small is distinguished for her ductility. Thanks to the size, is suitable for waiting in public spaces and conversation in private ones and domestic.









KINZIKA S

Pag.- 113 -






KINZIKA S

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 08091
Ilpoflex BS foam
Cod. 08089

Shell weight: 12,0 kg

1 Volume: 0,42 m³
Weight: 16,7 kg

Standard order quantity:
6 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
2,4 m

Basi - *Bases*

BAS026



Base a 4 razze in alluminio lucida autoallineante, 0°.

Self-aligning aluminum base 0°.

Weight 3,6 kg

1 Volume: 0,05 m³
Weight: 4,3 kg

mininum order quantity:
2 pieces

BAS115



Base a 4 lame in acciaio verniciata nero girevole, 0°.

4 spoke black painted swivel steel base, 0°.

Weight 6,6 kg

2 Volume: 0,22 m³
Weight: 15,6 kg

mininum order quantity:
2 pieces

BAS068



Base a disco in acciaio inox 430 spazzolata, 0°

Disc base, brushed stainless steel 430, 0°.

Weight 13,4 kg


1 Volume: 0,05 m³
Weight: 14,1 kg

mininum order quantity:
2 pieces

Prodotto finito - *Finished products*

IDKINZIKAS-026






Weight
15,2 kg

1
Volume: 0,69 m³
Weight: 19,9 kg

Minimum order quantity:
6 pieces

IDKINZIKAS-115






Weight
17,3 kg

1
Volume: 0,69 m³
Weight: 22,0 kg

Minimum order quantity:
6 pieces

IDKINZIKAS-068





Weight
25,2 kg

1
Volume: 0,69 m³
Weight: 29,9 kg

Minimum order quantity:
6 pieces

Dimensions in mm



LADY K

Design R&D ILPODESIGN

Lady-K è una poltroncina sinuosa ed elegante caratterizzata da un percorso curvilineo che ne disegna il profilo, raccordando lo schienale, i braccioli e la seduta attraverso un unico tratto. Questa poltroncina è particolarmente adatta ad arredare spazi dinamici e contemporanei in cui stile e cura per i dettagli sono protagonisti.

Lady-K is a sinuous and elegant armchair characterized by a curving path that draws the profile, conneting backrest, armrests and seat through a single tract. This armchair is particularly suitable for furnishing dynamic and contemporary spaces where style and care to the details are the protagonists.









LADY K

Pag.- 117 -






LADY K

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 07755
Ilpoflex BS foam
Cod. 07756

Shell weight: 6,05 kg

1 Volume: 0,22 m³
Weight: 8,55 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,5 m

Basi - *Bases*

BAS002



Base a 5 razze in alluminio lucida girevole con ruote, regolabile in altezza, 3°.

5 spoke aluminum swivel base with castors, adjustable height, 3°.

Weight 4,3 kg

1 Volume: 0,05 m³
Weight: 5,0 kg

mininum order quantity:
2 pieces

BAS017



Base a 4 razze in alluminio autoallineante, 3°.

4 spoke aluminum self-aligning base, 3°.

Weight 3,7 kg

1 Volume: 0,05 m³
Weight: 4,4 kg

mininum order quantity:
4 pieces

BAS069



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs solid natural painted beech base.

Weight 2,7 kg

4 Volume: 0,22 m³
Weight: 13,3 kg

mininum order quantity:
4 pieces

BAS092



Base a 4 gambe in legno di faggio grezza.

4 legs solid raw beech base.

Weight 2,7 kg

4 Volume: 0,22 m³
Weight: 13,3 kg

mininum order quantity:
4 pieces

BAS102



Base in legno di frassino verniciata naturale girevole, 3°.

Natural painted ash wood swivel base, 3°.

Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,7 kg

mininum order quantity:
4 pieces

IDLADYK-002





Weight 10,3 kg

1 Volume: 0,46 m³
Weight: 13,5 kg

Minimum order quantity:
8 pieces

IDLADYK-017






Weight 10,2 kg

1 Volume: 0,46 m³
Weight: 13,4 kg

Minimum order quantity:
8 pieces

IDLADYK-069






Weight 8,8 kg

1 Volume: 0,46 m³
Weight: 12,0 kg

Minimum order quantity:
8 pieces

IDLADYK-092






Weight 8,8 kg

1 Volume: 0,46 m³
Weight: 12,0 kg

Minimum order quantity:
8 pieces

IDLADYK-102





Weight 8,7 kg

1 Volume: 0,46 m³
Weight: 11,9 kg

Minimum order quantity:
8 pieces


Dimensions in mm



LADY K

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 07755
Ilpoflex BS foam
Cod. 07756

Shell weight: 6,05 kg

1 Volume: 0,22 m³
Weight: 8,55 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,5 m

Basi - *Bases*

BAS103



Base in tubo d'acciaio verniciata nero girevole, 3°.

Black painted tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole, 3°.

Chromed tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS113



Base a 4 lame in acciaio verniciata nero girevole, 3°.

4 spoke black painted swivel steel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS104



Base a 4 razze in acciaio cromata girevole, 3°.

4 spoke chromed steel swivel base, 3°.

Weight 4,3 kg


4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDLADYK-103






Weight
9,0 kg

Volume: 0,46 m³
Weight: 12,2 kg

Minimum order quantity:
8 pieces

IDLADYK-106






Weight
9,0 kg

Volume: 0,46 m³
Weight: 12,2 kg

Minimum order quantity:
8 pieces

IDLADYK-113






Weight
9,5 kg

Volume: 0,46 m³
Weight: 12,7 kg

Minimum order quantity:
8 pieces

IDLADYK-104





Weight
9,7 kg

Volume: 0,46 m³
Weight: 12,9 kg

Minimum order quantity:
8 pieces

Dimensions in mm



MISS K

Design R&D ILPODESIGN

L'aspetto sinuoso e gentile di "Miss-K" comunica comfort e morbidezza e lo fa attraverso un design riconoscibile e lineare, che esalta la versatilità della sedia attraverso l'equilibrio delle forme.

The sinuous and gentle appearance of "Miss-K" communicates comfort and softness and does so through a recognizable and linear design, which exalts the versatility of the chair through the balance of forms.









MISS K

Pag.- 123 -





MISS K

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 08113
Ilpoflex BS foam
Cod. 08111

Shell weight: 3,65 kg

4 Volume: 0,22 m³
Weight: 17,1 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
0,7 m

Basi - *Bases*

BAS025



Base in tubo d'acciaio conificato cromata girevole 3°.

Chromed tapered steel swivel base 3°.

Weight 3,6 kg

4 Volume: 0,23 m³
Weight: 17,0 kg

mininum order quantity:
4 pieces

BAS017



Base a 4 razze in alluminio autoallineante, 3°.

4 spoke aluminum self-aligning base, 3°.

Weight 3,7 kg

1 Volume: 0,05 m³
Weight: 4,4 kg

mininum order quantity:
4 pieces

BAS069



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs solid natural painted beech base.

Weight 2,7 kg

4 Volume: 0,22 m³
Weight: 13,3 kg

mininum order quantity:
4 pieces

BAS092



Base a 4 gambe in legno di faggio grezza.

4 legs solid raw beech base.

Weight 2,7 kg

4 Volume: 0,22 m³
Weight: 13,3 kg

mininum order quantity:
4 pieces

BAS102



Base in legno di frassino verniciata naturale girevole, 3°.

Natural painted ash wood swivel base, 3°.

Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,7 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDMISSK-025





Weight
7,8 kg

2
Volume: 0,46 m³
Weight: 18,7 kg

Minimum order quantity:
8 pieces

IDMISSK-017






Weight
7,4 kg

1
Volume: 0,46 m³
Weight: 17,9 kg

Minimum order quantity:
8 pieces

IDMISSK-069






Weight
6,4 kg

2
Volume: 0,46 m³
Weight: 15,9 kg

Minimum order quantity:
8 pieces

IDMISSK-092






Weight
6,4 kg

2
Volume: 0,46 m³
Weight: 15,9 kg

Minimum order quantity:
8 pieces

IDMISSK-102





Weight
6,3 kg

2
Volume: 0,46 m³
Weight: 15,3 kg

Minimum order quantity:
8 pieces

Dimensions in mm



MISS K

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 08113
Ilpoflex BS foam
Cod. 08111

Shell weight: 3,65 kg

4 Volume: 0,22 m³
Weight: 17,1 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
0,7 m

Basi - *Bases*

BAS103



Base in tubo d'acciaio verniciata nero girevole, 3°.

Black painted tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole, 3°.

Chromed tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS113



Base a 4 lame in acciaio verniciata nero girevole, 3°.

4 spoke black painted swivel steel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS104



Base a 4 razze in acciaio cromata girevole, 3°.

4 spoke chromed steel swivel base, 3°.

Weight 4,3 kg


4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDMISSK-103






Weight
6,6 kg

Volume: 0,46 m³
Weight: 9,9 kg

Minimum order quantity:
8 pieces

IDMISSK-106






Weight
6,6 kg

Volume: 0,46 m³
Weight: 9,9 kg

Minimum order quantity:
8 pieces

IDMISSK-113






Weight
7,2 kg

Volume: 0,46 m³
Weight: 10,2 kg

Minimum order quantity:
8 pieces

IDMISSK-104





Weight
7,4 kg

Volume: 0,46 m³
Weight: 10,4 kg

Minimum order quantity:
8 pieces

Dimensions in mm



SHEKI

Design Giorgio Gurioli

Staccandosi dalle forme convenzionali, Sheki mantiene un profilo lineare e una silhouette snella.
Sheki è ergonomica ed è perfetta sia per la casa che per i luoghi di lavoro.

Detaching itself from conventional forms, Sheki maintains a linear profile and a slim silhouette. Sheki is ergonomic and is perfect for both the home and the workplace.









SHEKI

Pag.- 129 -






SHEKI

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 08278
Ilpoflex BS foam
Cod. 08279

Shell weight: 7,5 kg

1 Volume: 0,22 m³
Weight: 10,0 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,4 m

Basi - *Bases*

BAS002



Base a 5 razze in alluminio lucida girevole con ruote, regolabile in altezza, 3°.

5 spoke aluminum swivel base with castors, adjustable height, 3°.

Weight 4,3 kg

1 Volume: 0,05 m³
Weight: 5,0 kg

mininum order quantity:
2 pieces

BAS017



Base a 4 razze in alluminio autoallineante, 3°.

4 spoke aluminum self-aligning base, 3°.

Weight 3,7 kg

1 Volume: 0,05 m³
Weight: 4,4 kg

mininum order quantity:
4 pieces

BAS025



Base in tubo d'acciaio conificato cromata girevole 3°.

Chromed tapered steel swivel base 3°.

Weight 3,6 kg

4 Volume: 0,22 m³
Weight: 17,0 kg

mininum order quantity:
4 pieces

BAS096



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs natural painted beech base.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 14,0 kg

mininum order quantity:
8 pieces

BAS102



Base in legno di frassino verniciata naturale girevole, 3°.

Natural painted ash wood swivel base, 3°.

Weight 3,3 kg


4 Volume: 0,22 m³
Weight: 15,7 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDSHEKI-002






Weight 11,7 kg

Volume: 0,46 m³
Weight: 14,9 kg

Minimum order quantity: 8 pieces

IDSHEKI-017






Weight 11,6 kg

Volume: 0,46 m³
Weight: 14,8 kg

Minimum order quantity: 8 pieces

IDSHEKI-025






Weight 11,2 kg

Volume: 0,46 m³
Weight: 14,4 kg

Minimum order quantity: 8 pieces

IDSHEKI-096






Weight 10,3 kg

Volume: 0,46 m³
Weight: 13,5 kg

Minimum order quantity: 50 pieces

IDSHEKI-102





Weight 10,1 kg

Volume: 0,46 m³
Weight: 13,4 kg

Minimum order quantity: 8 pieces

Dimensions in mm




SHEKI

SHEKI

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 08278
Ilpoflex BS foam
Cod. 08279

Shell weight: 7,5 kg

1 Volume: 0,22 m³
Weight: 10,0 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,4 m

Basi - *Bases*

BAS103



Base in tubo d'acciaio verniciata nero girevole, 3°.

Black painted tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole, 3°.

Chromed tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS113



Base a 4 lame in acciaio verniciata nero girevole, 3°.

4 spoke black painted swivel steel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS104



Base a 4 razze in acciaio cromata girevole, 3°.

4 spoke chromed steel swivel base, 3°.

Weight 4,3 kg


4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDSHEKI-103





Weight
10,4 kg


1

Volume: 0,46 m³
Weight: 13,7 kg

Minimum order quantity:
8 pieces

IDSHEKI-106





Weight
10,4 kg


1

Volume: 0,46 m³
Weight: 13,7 kg

Minimum order quantity:
8 pieces

IDSHEKI-113





Weight
11,0 kg


1

Volume: 0,46 m³
Weight: 14,0 kg

Minimum order quantity:
8 pieces

IDSHEKI-104





Weight
11,2 kg

1

Volume: 0,46 m³
Weight: 14,2 kg

Minimum order quantity:
8 pieces

Dimensions in mm



KARINA

Design R&D ILPODESIGN


La poltrona Karina richiama una linea anni ‘50, offrendo un assetto morbido e confortevole. Ideale per arredare ambienti lounge.

Karina is an armchair that re calls the style of the 50’s, offering a soft and comfortable seating. It’s the ideal solution for lounge areas.











KARINA


Pag.- 135 -



KARINA

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 07689
Ilpoflex BS foam
Cod. 05574

Shell weight: 6,0 kg

2 Volume: 0,56 m³
Weight: 16,7 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,8 m

Basi - *Bases*

BAS006



Base a 4 razze in alluminio lucida autoallineante, 3°.

4 spoke aluminum self-aligning base, 3°.

Weight 3,6 kg

1 Volume: 0,05 m³
Weight: 4,3 kg

mininum order quantity:
2 pieces

BAS017



Base a 4 razze in alluminio autoallineante, 3°.

4 spoke aluminum self-aligning base, 3°.

Weight 3,7 kg

1 Volume: 0,05 m³
Weight: 4,4 kg

mininum order quantity:
4 pieces

BAS031



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs solid natural painted beech base.

Weight 2,2 kg

4 Volume: 0,22 m³
Weight: 11,3 kg

mininum order quantity:
4 pieces

BAS110



Base a 4 gambe in legno di faggio Colore su richiesta.

4 legs painted beech base.
Color on demand.

Weight 2,2 kg

4 Volume: 0,22 m³
Weight: 11,3 kg

mininum order quantity:
30 pieces

BAS027



Base a 4 gambe in legno di faggio grezza.

4 legs solid raw beech base.

Weight 2,2 kg


4 Volume: 0,22 m³
Weight: 11,3 kg


mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDKARINA-006







Weight
9,2 kg


Volume: 0,69 m³
Weight: 13,9 kg

Minimum order quantity:
8 pieces

IDKARINA-017








Weight
10,1 kg


Volume: 0,69 m³
Weight: 14,8 kg

Minimum order quantity:
8 pieces

IDKARINA-031








Weight
8,2 kg


Volume: 0,69 m³
Weight: 12,9 kg

Minimum order quantity:
8 pieces

IDKARINA-110








Weight
8,2 kg


Volume: 0,69 m³
Weight: 12,9 kg

Minimum order quantity:
30 pieces

IDKARINA-027







Weight
8,2 kg

Volume: 0,69 m³
Weight: 12,9 kg

Minimum order quantity:
8 pieces


Dimensions in mm



KARINA

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 07689
Ilpoflex BS foam
Cod. 05574

Shell weight: 6,0 kg

2 Volume: 0,56 m³
Weight: 16,7 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,8 m

Basi - *Bases*

BAS067



Base a disco in acciaio inox 430 spazzolata autoallineante, 3°.

Disc self-aligning base, brushed stainless steel 430, 3°.

Weight 11,1 kg

1 Volume: 0,05 m³
Weight: 11,8 kg

mininum order quantity:
2 pieces

BAS073



Base a disco in acciaio inox 430 spazzolata autoallineante, 3°.

Disc self-aligning base, brushed stainless steel 430, 3°.

Weight 11,2 kg

1 Volume: 0,05 m³
Weight: 11,9 kg

mininum order quantity:
2 pieces

BAS023



Base a slitta in filo metallico cromata.

Chromed steel rod sled frame.

Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,8 kg

mininum order quantity:
50 pieces

BAS090



Base a slitta in filo metallico verniciata nero.

Black painted steel rod sled frame.

Weight 3,3 kg


4 Volume: 0,22 m³
Weight: 15,8 kg

mininum order quantity:
50 pieces

Prodotto finito - *Finished products*

IDKARINA-067





Weight
17,8 kg


1

Volume: 0,69 m³
Weight: 22,5 kg

Minimum order quantity:
8 pieces

IDKARINA-073





Weight
18,7 kg


1

Volume: 0,69 m³
Weight: 23,4 kg

Minimum order quantity:
8 pieces

IDKARINA-023





Weight
9,3 kg


1

Volume: 0,69 m³
Weight: 14,0 kg

Minimum order quantity:
50 pieces

IDKARINA-090





Weight
9,3 kg

1

Volume: 0,69 m³
Weight: 13,7 kg

Minimum order quantity:
50 pieces

Dimensions in mm



FLIK

Design R&D ILPODESIGN

Flik è una poltrona dal profilo elegante e dal design accogliente. Flik si inserisce perfettamente negli ambienti più diversi: dall'ufficio agli spazi pubblici, da sola o in gruppo. Grazie alla forma scultorea, Flik si armonizza con gli elementi architettonici dello spazio.

Flik is an armchair with an elegant profile and a welcoming design. Flik fits perfectly into the most diverse environments: from the office to public spaces, alone or in a group. Thanks to the sculptural form, Flik harmonizes with the architectural elements of the space.










FLIK

Pag.- 141 -





FLIK

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 08250
Ilpoflex BS foam
Cod. 08251

Shell weight: 6,50 kg

1 Volume: 0,22 m³
Weight: 9,0 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,5 m

Basi - *Bases*

BAS002



Base a 5 razze in alluminio lucida girevole con ruote, regolabile in altezza, 3°.

5 spoke aluminum swivel base with castors, adjustable height, 3°.

Weight 4,3 kg

1 Volume: 0,05 m³
Weight: 5,0 kg

mininum order quantity:
2 pieces

BAS025



Base in tubo d'acciaio conificato cromata girevole 3°.

Chromed tapered steel swivel base 3°.

Weight 3,6 kg

4 Volume: 0,23 m³
Weight: 17,0 kg

mininum order quantity:
4 pieces

BAS073



Base a disco in acciaio inox 430 spazzolata autoallineante, 3°.

Disc self-aligning base, brushed stainless steel 430, 3°.

Weight 11,2 kg

1 Volume: 0,05 m³
Weight: 11,9 kg

mininum order quantity:
2 pieces

BAS098



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs natural painted beech base.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 14,0 kg

mininum order quantity:
8 pieces

BAS102



Base in legno di frassino verniciata naturale girevole, 3°.

Natural painted ash wood swivel base, 3°.

Weight 3,3 kg


4 Volume: 0,22 m³
Weight: 15,7 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDFLIK-002





Weight
10,7 kg


1

Volume: 0,46 m³
Weight: 13,9 kg

Minimum order quantity:
8 pieces

IDFLIK-025





Weight
10,2 kg

1

Volume: 0,46 m³
Weight: 13,4 kg

Minimum order quantity:
8 pieces

IDFLIK-073





Weight
19,2 kg


1

Volume: 0,46 m³
Weight: 22,4 kg

Minimum order quantity:
8 pieces

IDFLIK-098





Weight
9,3 kg


1

Volume: 0,46 m³
Weight: 12,5 kg

Minimum order quantity:
50 pieces

IDFLIK-102





Weight
9,2 kg

1

Volume: 0,46 m³
Weight: 12,4 kg

Minimum order quantity:
8 pieces

Dimensions in mm



FLIK

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 08250
Ilpoflex BS foam
Cod. 08251

Shell weight: 6,5 kg

1 Volume: 0,22 m³
Weight: 9,0 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,5 m

Basi - *Bases*

BAS103



Base in tubo d'acciaio verniciata nero girevole, 3°.

Black painted tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole, 3°.

Chromed tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS113



Base a 4 lame in acciaio verniciata nero girevole, 3°.

4 spoke black painted swivel steel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS104



Base a 4 razze in acciaio cromata girevole, 3°.

4 spoke chromed steel swivel base, 3°.

Weight 4,3 kg


4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDFLIK-103






Weight
9,4 kg

Volume: 0,46 m³
Weight: 12,6 kg

Minimum order quantity:
8 pieces

IDFLIK-106






Weight
9,4 kg

Volume: 0,46 m³
Weight: 12,6 kg

Minimum order quantity:
8 pieces

IDFLIK-113






Weight
10,2 kg

Volume: 0,46 m³
Weight: 13,4 kg

Minimum order quantity:
8 pieces

IDFLIK-104





Weight
10,2 kg

Volume: 0,46 m³
Weight: 13,4 kg

Minimum order quantity:
8 pieces

Dimensions in mm



FLOK

Design R&D ILPODESIGN

Essenziale ed elegante nel design, accogliente nella seduta, Flok si presta a completare qualsiasi ambiente, dall'ufficio alla sala riunioni, dal ristorante all'hotel.

Essential and elegant in design, welcoming in the seat, Flok lends itself to complete any environment, from the office to the meeting room, from the restaurant to the hotel.









FLOK

Pag.- 147 -





FLOK

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 08300
Ilpoflex BS foam
Cod. 08301

Shell weight: 6,35 kg

1 Volume: 0,22 m³
Weight: 8,9 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,5 m

Basi - *Bases*

BAS002



Base a 5 razze in alluminio lucida girevole con ruote, regolabile in altezza, 3°.

5 spoke aluminum swivel base with castors, adjustable height, 3°.

Weight 4,3 kg

1 Volume: 0,05 m³
Weight: 5,0 kg

mininum order quantity:
2 pieces

BAS025



Base in tubo d'acciaio conificato cromata girevole 3°.

Chromed tapered steel swivel base 3°.

Weight 3,6 kg

4 Volume: 0,22 m³
Weight: 17,0 kg

mininum order quantity:
4 pieces

BAS073



Base a disco in acciaio inox 430 spazzolata autoallineante, 3°.

Disc self-aligning base, brushed stainless steel 430, 3°.

Weight 11,2 kg

1 Volume: 0,05 m³
Weight: 11,9 kg

mininum order quantity:
2 pieces

BAS098



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs natural painted beech base.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 14,0 kg

mininum order quantity:
8 pieces

BAS102



Base in legno di frassino verniciata naturale girevole, 3°.

Natural painted ash wood swivel base, 3°.


Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,7 kg

mininum order quantity:
4 pieces

IDFLOK-002






Weight
10,6 kg

Volume: 0,46 m³
Weight: 13,8 kg

Minimum order quantity:
8 pieces

IDFLOK-025






Weight
10,1 kg

Volume: 0,46 m³
Weight: 13,3 kg

Minimum order quantity:
8 pieces

IDFLOK-073






Weight
19,1 kg

Volume: 0,46 m³
Weight: 22,3 kg

Minimum order quantity:
8 pieces

IDFLOK-098






Weight
9,2 kg

Volume: 0,46 m³
Weight: 12,4 kg

Minimum order quantity:
50 pieces

IDFLOK-102





Weight
9,1 kg

Volume: 0,46 m³
Weight: 12,3 kg

Minimum order quantity:
8 pieces

Dimensions in mm



FLOK

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 08300
Ilpoflex BS foam
Cod. 08301

Shell weight: 6,35 kg

1 Volume: 0,22 m³
Weight: 8,9 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,5 m

Basi - *Bases*

BAS103



Base in tubo d'acciaio verniciata nero girevole, 3°.

Black painted tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole, 3°.

Chromed tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS113



Base a 4 lame in acciaio verniciata nero girevole, 3°.

4 spoke black painted swivel steel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS104



Base a 4 razze in acciaio cromata girevole, 3°.

4 spoke chromed steel swivel base, 3°.

Weight 4,3 kg


4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDFLOK-103





Weight
9,3 kg


1

Volume: 0,46 m³
Weight: 12,5 kg

Minimum order quantity:
8 pieces

IDFLOK-106





Weight
9,3 kg


1

Volume: 0,46 m³
Weight: 12,5 kg

Minimum order quantity:
8 pieces

IDFLOK-113





Weight
10,1 kg


1

Volume: 0,46 m³
Weight: 13,3 kg

Minimum order quantity:
8 pieces

IDFLOK-104





Weight
10,1 kg

1

Volume: 0,46 m³
Weight: 13,3 kg

Minimum order quantity:
8 pieces

Dimensions in mm



KOPPA

Design Giovanni Baccolini

Il design avvolgente dello schienale e la seduta accogliente e confortevole rende Koppa adatta a contesti domestici ed ambienti contract come spazi ufficio, ristoranti, sale d'attesa ed hotel.

The wraparound design of the backrest and the cozy and comfortable seat makes Koppa suitable for domestic and contract contexts such as office space, restaurants, waiting rooms and hotels.









KOPPA

Pag.- 153 -






KOPPA

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 07763
Ilpoflex BS foam
Cod. 07764

Shell weight: 5,8 kg

2 Volume: 0,31 m³
Weight: 13,5 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,4 m

Basi - *Bases*

BAS018



Base a 5 razze in alluminio lucida girevole con ruote, regolabile in altezza.

5 spoke aluminum swivel base with castors, adjustable height.

Weight 4,4 kg

1 Volume: 0,05 m³
Weight: 5,1 kg

mininum order quantity:
2 pieces

BAS029



Base a 4 razze in alluminio lucida autoallineante, 0°.
4 spoke self-aligning aluminum base 0°.

Weight 3,7 kg

1 Volume: 0,05 m³
Weight: 4,4 kg

mininum order quantity:
2 pieces

BAS041



Base a disco in acciaio inox 430 spazzolata autoallineante, 0°.

Disc self-aligning base, brushed stainless steel 430, 0°.

Weight 11,3 kg

1 Volume: 0,05 m³
Weight: 12,0 kg

mininum order quantity:
2 pieces

Prodotto finito - *Finished products*

IDKOPPA-018





Weight
10,0 kg

1

Volume: 0,46 m³
Weight: 13,2 kg

Minimum order quantity:
8 pieces

IDKOPPA-029





Weight
9,9 kg


1

Volume: 0,46 m³
Weight: 13,1 kg

Minimum order quantity:
8 pieces

IDKOPPA-041





Weight
18,5 kg

1

Volume: 0,46 m³
Weight: 21,7 kg

Minimum order quantity:
8 pieces

Dimensions in mm



KALICE

Design Giovanni Baccolini

Eclettismo, dinamicità ed estrema comodità sono le caratteristiche della Kalice, che cattura l'attenzione per il suo design morbido e sinuoso, dallo stile spontaneo e contemporaneo.

Eclecticism, dynamism and extreme comfort are the characteristics of Kalice, which capture the attention for its soft and sinuous design, by the spontaneous and contemporary style.









KALICE

Pag.- 157 -





KALICE

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 07774
Ilpoflex BS foam
Cod. 07775

Shell weight: 8,5 kg

1 Volume: 0,38 m³
Weight: 11,0 kg

Standard order quantity:
4 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,6 m

Basi - *Bases*

BAS070



Base a disco in acciaio inox 430 spazzolata autoallineante, 0°.

Disc self-aligning base, brushed stainless steel 430, 0°.


Weight 10,8 kg


1 Volume: 0,05 m³
Weight: 11,5 kg

mininum order quantity:
2 pieces

IDKALICE-070







Weight
20,7 kg

1

Volume: 0,51 m³
Weight: 23,2 kg

Minimum order quantity:
4 pieces

Dimensions in mm



BAKKO


Design Giovanni Baccolini

Dal gusto tipicamente anni ‘70, la poltrona Bakko resta sempre attuale ed è ideale per caratterizzare spazi d’attesa con stile e sobria eleganza. L’ampia e avvolgente seduta è ottima anche per usi prolungati.

With a typical style of the 70’s, Bakko armchair is always up-to-date and ideal to characterize waiting areas with style and sober elegance. The wide and wrapping seat makes it well-suited even for prolonged use.










BAKKO


FEDERICO FELLINI
LA DOLCE VITA
JAMES STEWART
KIM NOVAK
IN ALFRED HITCHCOCK'S
MASTERPIECE
'VERTIGO'

BAKKO

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 07370
Ilpoflex BS foam
Cod. 05566

Shell weight: 8,65 kg

2 Volume: 0,56 m³
Weight: 22,0 kg

Standard order quantity:
50 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,9 m

Basi - *Bases*

BAS012



Base in tubo d'acciaio conificato cromata.

Chromed tapered steel base.


Weight
2,7 kg

1 Volume: 0,03 m³
Weight: 3,3 kg

mininum order quantity:
50 pieces

IDBAKKO-012





Weight
11,4 kg

1

Volume: 0,69 m³
Weight: 16,1 kg

Minimum order quantity:
50 pieces

Dimensions in mm



BAKKONE

Design Giovanni Baccolini

Dal gusto tipicamente anni ‘70 il divano Bakkone resta sempre attuale e, insieme alla poltrona Bakko, è ideale per caratterizzare spazi d’attesa con stile e sobria eleganza. L’ampia e avvolgente seduta è ottima anche per usi prolungati.

With a typical style of the 70’s, Bakkone sofa is always up-to-date and ideal to characterize waiting areas with style and sober elegance. The wide and wrapping seat makes it well-suited even for prolonged use.









BAKKONE


Pag.- 165 -



BAKKONE

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 07301
Ilpoflex BS foam
Cod. 05567

Shell weight: 17,9 kg

2 Volume: 1,12 m³
Weight: 41,8 kg

Standard order quantity:
20 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
4,0 m

Basi - *Bases*

BAS013

Base in tubo d'acciaio conificato cromata.

Chromed tapered steel base.




Weight
2,7 kg


1 Volume: 0,03 m³
Weight: 3,3 kg

mininum order quantity:
20 pieces

IDBAKKONE-013







Weight
20,6 kg

1

Volume: 1,1 m³
Weight: 26,6 kg

Minimum order quantity:
20 pieces

Dimensions in mm



JACKIE

Design R&D ILPODESIGN

Jackie è una poltroncina confortevole ed elegante che grazie ai diversi rivestimenti e basamenti disponibili può inserirsi agilmente in ogni contesto.

Jackie is a comfortable a nd elegant armchair. It's perfect for many purposes thanks to the different covering materials and frame structures available.









JACKIE

Pag.- 169 -






JACKIE

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 07722
Ilpoflex BS foam
Cod. 07708

Shell weight: 7,30 kg

1 Volume: 0,22 m³
Weight: 9,8 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,6 m

Basi - *Bases*

BAS102



Base in legno di frassino verniciata naturale girevole, 3°.

Natural painted ash wood swivel base, 3°.

Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,7 kg

mininum order quantity:
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole, 3°.

Chromed tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS103



Base in tubo d'acciaio verniciata nero girevole, 3°.

Black painted tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS104



Base a 4 razze in acciaio cromata girevole, 3°.

4 spoke chromed steel swivel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS113



Base a 4 lame in acciaio verniciata nero girevole, 3°.

4 spoke black painted swivel steel base, 3°.


Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

IDJACKIE-102






Weight 10,0 kg

1 Volume: 0,46 m³
Weight: 12,5 kg

Minimum order quantity:
8 pieces

IDJACKIE-106






Weight 10,2 kg

1 Volume: 0,46 m³
Weight: 13,4 kg

Minimum order quantity:
8 pieces

IDJACKIE-103






Weight 10,2 kg

1 Volume: 0,46 m³
Weight: 13,4 kg

Minimum order quantity:
8 pieces

IDJACKIE-104






Weight 11,0 kg

1 Volume: 0,46 m³
Weight: 14,2 kg

Minimum order quantity:
8 pieces

IDJACKIE-113





Weight 10,8 kg

1 Volume: 0,46 m³
Weight: 14,0 kg

Minimum order quantity:
8 pieces


Dimensions in mm



JACKIE

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico. Sedile in poliuretano flessibile con inserto in legno.

Moulded flexible polyurethane shell with metal frame inside. Moulded flexible polyurethane seat with wooden frame.

Ilpoflex CB foam
Cod. 07722
Ilpoflex BS foam
Cod. 07708

Shell weight: 7,30 kg

1 Volume: 0,22 m³
Weight: 9,8 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,6 m

Basi - *Bases*

BAS017



Base a 4 razze in alluminio autoallineante, 3°.

4 spoke aluminum self-aligning base, 3°.

Weight 3,7 kg

1 Volume: 0,05 m³
Weight: 4,4 kg

mininum order quantity:
4 pieces

BAS025



Base in tubo d'acciaio conificato cromata girevole 3°.

Chromed tapered steel swivel base 3°.

Weight 3,6 kg

4 Volume: 0,22 m³
Weight: 17,0 kg

mininum order quantity:
4 pieces

BAS073



Base a disco in acciaio inox 430 spazzolata autoallineante, 3°.

Disc self-aligning base, brushed stainless steel 430, 3°.

Weight 11,2 kg

1 Volume: 0,05 m³
Weight: 11,9 kg

mininum order quantity:
2 pieces

BAS002



Base a 5 razze in alluminio lucida girevole con ruote, regolabile in altezza, 3°.

5 spoke aluminum swivel base with castors, adjustable height, 3°.

Weight 4,3 kg


1 Volume: 0,05 m³
Weight: 5,0 kg

mininum order quantity:
2 pieces

Prodotto finito - *Finished products*

IDJACKIE-017






Weight
11,4 kg

Volume: 0,46 m³
Weight: 13,9 kg

Minimum order quantity:
8 pieces

IDJACKIE-025






Weight
11,0 kg

Volume: 0,46 m³
Weight: 13,5 kg

Minimum order quantity:
8 pieces

IDJACKIE-073






Weight
20,0 kg

Volume: 0,46 m³
Weight: 22,5 kg

Minimum order quantity:
8 pieces

IDJACKIE-002





Weight
11,5 kg

Volume: 0,46 m³
Weight: 14,0 kg

Minimum order quantity:
8 pieces

Dimensions in mm



JACK

Design R&D ILPODESIGN

Jack è una poltroncina che si contraddistingue per il suo gusto raffinato ed estremamente minimale, ideale per arredare ogni spazio.

Jack is a very refined and essential upholstered seat, suitable for every space.











JACK


Pag.- 175 -



JACK

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 07720
Ilpoflex BS foam
Cod. 07721

Shell weight: 4,95 kg

4 Volume: 0,31 m³
Weight: 21,7 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
0,9 m

Basi - *Bases*

BAS071



Base a 4 gambe in legno di faggio verniciata naturale.

4 legs solid natural painted beech base.

Weight 2,7 kg

4 Volume: 0,22 m³
Weight: 13,3 kg

mininum order quantity:
4 pieces

BAS095



Base a 4 gambe in legno di faggio grezza.

4 legs solid raw beech base.

Weight 2,7 kg

4 Volume: 0,22 m³
Weight: 13,3 kg

mininum order quantity:
4 pieces

BAS102



Base in legno di frassino verniciata naturale girevole, 3°.

Natural painted ash wood swivel base, 3°.

Weight 3,3 kg

4 Volume: 0,22 m³
Weight: 15,7 kg

mininum order quantity:
4 pieces

BAS025



Base in tubo d'acciaio conificato cromata girevole 3°.

Chromed tapered steel swivel base 3°.

Weight 3,6 kg


4 Volume: 0,22 m³
Weight: 17,0 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDJACK-071






Weight
7,7 kg

2
Volume: 0,46 m³
Weight: 18,5 kg

Minimum order quantity:
8 pieces

IDJACK-095






Weight
7,7 kg

2
Volume: 0,46 m³
Weight: 18,5 kg

Minimum order quantity:
8 pieces

IDJACK-102






Weight
7,6 kg

2
Volume: 0,46 m³
Weight: 17,9 kg

Minimum order quantity:
8 pieces

IDJACK-025





Weight
8,7 kg

2
Volume: 0,46 m³
Weight: 20,5 kg

Minimum order quantity:
8 pieces


Dimensions in mm



JACK

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 07720
Ilpoflex BS foam
Cod. 07721

Shell weight: 4,95 kg

4 Volume: 0,31 m³
Weight: 21,7 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
0,9 m

Basi - *Bases*

BAS103



Base in tubo d'acciaio verniciata nero agirevole, 3°.

Black painted tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS106



Base in tubo d'acciaio cromata girevole, 3°.

Chromed tubular steel swivel base, 3°.

Weight 2,8 kg

4 Volume: 0,22 m³
Weight: 13,4 kg

mininum order quantity:
4 pieces

BAS113



Base a 4 lame in acciaio verniciata nero girevole, 3°.

4 spoke black painted swivel steel base, 3°.

Weight 4,3 kg

4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

BAS104



Base a 4 razze in acciaio cromata girevole, 3°.
4 spoke chromed steel swivel base, 3°.

Weight 4,3 kg


4 Volume: 0,22 m³
Weight: 19,4 kg

mininum order quantity:
4 pieces

Prodotto finito - *Finished products*

IDJACK-103






Weight
7,9 kg

Volume: 0,46 m³
Weight: 18,9 kg

Minimum order quantity:
8 pieces

IDJACK-106





Weight
7,9 kg

Volume: 0,46 m³
Weight: 18,9 kg

Minimum order quantity:
8 pieces

IDJACK-113





Weight
8,5 kg

Volume: 0,46 m³
Weight: 19,6 kg

Minimum order quantity:
8 pieces

IDJACK-104





Weight
8,7 kg

Volume: 0,46 m³
Weight: 19,8 kg

Minimum order quantity:
8 pieces

Dimensions in mm



DISKO

Design R&D ILPODESIGN

La forma minimale si abbina ad una resistenza del prodotto che lo rende adatto anche per un uso intensivo come quello del settore educativo.
Binomio perfetto tra pulizia delle forme e affidabilità.
L'innovativa base semi-basculante offre una versatilità

The minimal shape of the product combined with its resistance makes it suitable even for the intense use such as the educational sector. Cleaned shapes and reliability perfectly combined. The innovative semi-tilting base offers a unique versatility of its kind.









DISKO

Pag.- 181 -






DISKO

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile.

Molded shell in flexible polyurethane

Ilpoflex CB foam
Cod. 09047
Ilpoflex BS foam
Cod. 09048

Shell weight: 0,80 kg

10 Volume: 0,11 m³
Weight: 9,5 kg

Standard order quantity:
10 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
0,5 m

Basi - *Bases*

BAS120



Base a disco in poliuretano verniciata nero basculante con alzata a gas.

Black painted polyurethane rocking base.

Weight
5,8 kg

2 Volume: 0,05 m³
Weight: 12,3 kg

mininum order quantity:
2 pieces

BAS121



Base a disco in poliuretano verniciata nero basculante con alzata a gas.

Black painted polyurethane rocking base.

Weight
5,5 kg


2 Volume: 0,05 m³
Weight: 11,7 kg

mininum order quantity:
2 pieces

Prodotto finito - *Finished products*

IDDISKO-120






Weight
6,6 kg

Volume: 0,28 m³
Weight: 14,3 kg

Minimum order quantity:
10 pieces

IDDISKO-121





Weight
6,3 kg

Volume: 0,28 m³
Weight: 13,9 kg

Minimum order quantity:
10 pieces

Dimensions in mm



BASKO

Design R&D ILPODESIGN

Lo sgabello Basko ha una linea dinamica e sbarazzina con una confortevole seduta imbottita. Il suo stile casual lo rende perfetto per ambienti informali ma non solo.

The Basko stool has a dynamic and playful line with a comfortable padded seat. His casual style makes it perfect for informal settings but not only.









BASKO

Pag.- 185 -





BASKO

Componente non rivestito

Not upholstered component



Sedile stampato in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane seat with metal frame inside.

Ilpoflex CB foam
Cod. 07690
Ilpoflex BS foam
Cod. 05581

Shell weight: 1,75 kg

8 Volume: 0,24 m³
Weight: 17,2 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
0,5 m

Basi - *Bases*

BAS009



Base a slitta in filo metallico cromata.

Chromed steel rod sled frame.

Weight
4,0 kg

4 Volume: 0,31 m³
Weight: 18,1 kg

mininum order quantity:
50 pieces

BAS080



Base a slitta in filo metallico verniciata nero .

Black painted steel rod sled frame.

Weight
4,0 kg


2 Volume: 0,31 m³
Weight: 10,6 kg


mininum order quantity:
50 pieces

Prodotto finito - *Finished products*

IDBASKO-009








Weight
6,0 kg


Volume: 0,51 m^3
Weight: 13,4 kg

Minimum order quantity:
50 pieces

IDBASKO-080







Weight
6,0 kg

Volume: 0,51 m^3
Weight: 13,4 kg

Minimum order quantity:
50 pieces

Dimensions in mm



KUANG

Design Frank Chou

Kuang è la soluzione ideale per rappresentare la personalità e l'essenza del suo proprietario. Le diverse sensazioni provate dal volume della sua sede e le linee della sua struttura, il contrasto tra sostanza e vuoto, quasi creano una sensazione di volo.

Kuang is the ideal solution to represent the personality and essence of its owner. The different feelings experienced by the volume of its seat and the lines of its structure, the contrast between substance and emptiness, almost create a flying sensation.











KUANG


Pag.- 189 -



KUANG

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 07431
Ilpoflex BS foam
Cod. 07834

Shell weight: 3,7 kg

10 Volume: 0,24 m³
Weight: 38,4 kg

Standard order quantity:
10 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
0,5 m

Basi - *Bases*

BAS083



Base a slitta in filo metallico verniciata nero.

Black painted steel rod sled frame.

Weight 5,5 kg

5 Volume: 0,42 m³
Weight: 30,0 kg

mininum order quantity:
50 pieces

BAS084



Base a slitta in filo metallico cromata.

Chromed steel rod sled frame.

Weight 5,5 kg

10 Volume: 0,48 m³
Weight: 60,0 kg

mininum order quantity:
50 pieces

BAS085



Base a slitta in filo metallico verniciata nero.

Black painted steel rod sled frame.

Weight 5,1 kg

5 Volume: 0,38 m³
Weight: 27,8 kg

mininum order quantity:
50 pieces

BAS086



Base a slitta in filo metallico cromata.

Chromed steel rod sled frame.

Weight 5,1 kg


10 Volume: 0,42 m³
Weight: 51,6 kg

mininum order quantity:
50 pieces

Prodotto finito - *Finished products*

IDKUANG-083






Weight
9,2 kg

1
Volume: 0,51 m³
Weight: 11,0 kg

Minimum order quantity:
50 pieces

IDKUANG-084






Weight
9,2 kg

1
Volume: 0,51 m³
Weight: 11,0 kg

Minimum order quantity:
50 pieces

IDKUANG-085






Weight
8,8 kg

1
Volume: 0,51 m³
Weight: 10,6 kg

Minimum order quantity:
50 pieces

IDKUANG-086





Weight
8,8 kg

1
Volume: 0,51 m³
Weight: 10,6 kg

Minimum order quantity:
50 pieces

Dimensions in mm



EXTRAKOOL

Design Alessio Pozzoli

Extrakool è la poltrona lounge che racchiude in sé tutte le qualità di comodità, eleganza, essenzialità e stile della famiglia Kool. L'accurata tappezzeria la rende ideale sia per aree d'attesa che per il residenziale.

Extrakool is a lounge chair that embodies all the requirements of comfort, elegance, simplicity and style of the whole Kool family. The accuracy of the upholstery, creates an ideal product for waiting and residential areas.









EXTRAKOOL


Pag.- 193 -



EXTRAKOOL

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Moulded flexible polyurethane shell with metal frame inside.

Ilpoflex CB foam
Cod. 07717
Ilpoflex BS foam
Cod. 07426

Shell weight: 5,90 kg

2 Volume: 0,28 m³
Weight: 13,7 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,3 m

Basi - *Bases*

BAS005



Base a slitta in filo metallico cromata.

Chromed steel rod sled frame.

Weight 4,7 kg

4 Volume: 0,24 m³
Weight: 20,7 kg

mininum order quantity:
50 pieces

BAS053



Base a slitta in filo metallico verniciata nero.

Black painted steel rod sled frame.

Weight 4,7 kg

2 Volume: 0,19 m³
Weight: 11,3 kg

mininum order quantity:
50 pieces

BAS026



Base a 4 razze in alluminio lucida autoallineante, 0°.

Self-aligning aluminum base 0°.

Weight 3,6 kg

1 Volume: 0,05 m³
Weight: 4,3 kg

mininum order quantity:
2 pieces

BAS029



Base a 4 razze in alluminio lucida autoallineante, 0°.

4 spoke self-aligning aluminum base 0°.

Weight 3,7 kg

1 Volume: 0,05 m³
Weight: 4,4 kg

mininum order quantity:
2 pieces

BAS072



Base a disco in acciaio inox 430 spazzolata autoallineante, 0°.

Disc self-aligning base, brushed stainless steel 430, 0°.

Weight 11,1 kg

1 Volume: 0,05 m³
Weight: 11,8 kg

mininum order quantity:
2 pieces

BAS041



Base a disco in acciaio inox 430 spazzolata autoallineante, 0°.

Disc self-aligning base, brushed stainless steel 430, 0°.

Weight 11,3 kg

1 Volume: 0,05 m³
Weight: 12,0 kg

mininum order quantity:
2 pieces

Prodotto finito - *Finished products*

IDEXTRAKOOL-005






Weight
10,1 kg

Volume: 0,46 m³
Weight: 12,6 kg

Minimum order quantity:
50 pieces

IDEXTRAKOOL-053





Weight
10,1 kg

Volume: 0,46 m³
Weight: 12,6 kg

Minimum order quantity:
50 pieces

IDEXTRAKOOL-026






Weight
9,1 kg

Volume: 0,46 m³
Weight: 11,6 kg

Minimum order quantity:
8 pieces

IDEXTRAKOOL-029






Weight
10,0 kg

Volume: 0,46 m³
Weight: 12,5 kg

Minimum order quantity:
8 pieces

IDEXTRAKOOL-072






Weight
17,7 kg

Volume: 0,46 m³
Weight: 20,2 kg

Minimum order quantity:
8 pieces

IDEXTRAKOOL-041





Weight
18,6 kg

Volume: 0,46 m³
Weight: 21,1 kg

Minimum order quantity:
8 pieces

Dimensions in mm



KOOL

Design Alessio Pozzoli

Con il suo design morbido, elegante e contemporaneo, la sedia Kool offre una seduta molto spaziosa a vantaggio del comfort. Grazie alla sua forma accattivante, può facilmente adattarsi al segmento residenziale o contract.

With its smooth, elegant and contemporary design, Kool chair offers a very spacious seat to improve seating comfort. Thanks to its appealing shape, can easily fit to both the residential and contract spaces.












KOOL

Pag.- 197 -



KOOL



Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight: 2,60 kg

35 Volume: 0,24 m³
Weight: 95,1 kg

Colori disponibili
Colours available

minimum order quantity:
70 pieces

- RAL 2002 Cod. 06782
- RAL 9010 Cod. 07262
- RAL 8014 Cod. 06783
- RAL 7021 Cod. 06787
- RAL 6003 Cod. 05584

Basi - *Bases*

BAS019



Base a 4 gambe in tubo d'acciaio cromata.

4 legs chromed tubular steel base.

Weight 2,0 kg

10 Volume: 0,28 m³
Weight: 21,9 kg

minimum order quantity:
35 pieces

BAS044



Base a 4 gambe in tubo d'acciaio verniciata nero.

4 legs black painted tubular steel base.

Weight 2,2 kg

5 Volume: 0,28 m³
Weight: 23,9 kg

minimum order quantity:
35 pieces

BAS037



Base a slitta in tubo d'acciaio cromata.

Chromed steel rod sled frame.

Weight 3,9 kg

10 Volume: 0,28 m³
Weight: 40,9 kg

minimum order quantity:
35 pieces

BAS105



Base a slitta in filo metallico verniciata nero.

Black painted steel rod sled frame.

Weight 4,0 kg

5 Volume: 0,28 m³
Weight: 21,9 kg

minimum order quantity:
35 pieces

BAS058



Base a 4 gambe in tubo d'acciaio cromata con braccioli. Braccioli da ordinare separatamente.

4 legs chromed tubular steel base with armrests. Armrests to be ordered separately.

Weight 3,4 kg

10 Volume: 0,42 m³
Weight: 36,0 kg

minimum order quantity:
70 pieces

Prodotto finito - *Finished products*

IDKOOL-019





Weight
4,6 kg

4
Volume: 0,51 m³
Weight: 20,9 kg

Minimum order quantity:
70 pieces

IDKOOL-044






Weight
4,8 kg

4
Volume: 0,51 m³
Weight: 21,7 kg

Minimum order quantity:
70 pieces

IDKOOL-037






Weight
6,5 kg

4
Volume: 0,51 m³
Weight: 28,5 kg

Minimum order quantity:
70 pieces

IDKOOL-105





Weight
6,6 kg

4
Volume: 0,51 m³
Weight: 28,9 kg

Minimum order quantity:
70 pieces

IDKOOL-058





Weight
6,0 kg

4
Volume: 0,51 m³
Weight: 26,3 kg

Minimum order quantity:
70 pieces

Dimensions in mm



KOOLER

Design Alessio Pozzoli

Kooler è uno sgabello dallo schienale alto particolarmente confortevole. La sua versatilità gli permette d'essere collocabile tanto in un bar quanto in un ambiente domestico.

Kooler is a particularly comfortable high-back stool. Its versatility allows it to be placed both in a bar and in a domestic environment.












KOOLER

Pag.- 201 -



KOOLER



Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight: 1,70 kg

45 Volume: 0,24 m³
Weight: 44,4 kg

Colori disponibili
Colours available

minimum order quantity:
45 pieces

- RAL 2002 Cod. 07371
- RAL 9010 Cod. 07263
- RAL 8014 Cod. 07000
- RAL 7021 Cod. 06999
- RAL 6003 Cod. 07511

Basi - *Bases*

BAS064



Base a slitta in filo metallico cromata.

Chromed steel rod sled frame.

Weight 4,8 kg

10 Volume: 0,47 m³
Weight: 50,5 kg

minimum order quantity:
45 pieces

BAS082



Base a slitta in filo metallico verniciata nero.


Black painted steel rod sled frame.

Weight 4,8 kg

5 Volume: 0,47 m³
Weight: 29,0 kg

minimum order quantity:
45 pieces

BAS065



Base a slitta in filo metallico cromata.


Chromed steel rod sled frame.

Weight 5,3 kg

10 Volume: 0,47 m³
Weight: 55,0 kg

minimum order quantity:
45 pieces

BAS081



Base a slitta in filo metallico verniciata nero.

Black painted steel rod sled frame.

Weight 5,3 kg


5 Volume: 0,47 m³
Weight: 26,5 kg

minimum order quantity:
45 pieces

Prodotto finito - *Finished products*

IDKOOLER-064






Weight
6,5 kg

Volume: 0,48 m³
Weight: 23,6 kg

Minimum order quantity:
45 pieces

IDKOOLER-082






Weight
6,5 kg

Volume: 0,48 m³
Weight: 23,6 kg

Minimum order quantity:
45 pieces

IDKOOLER-065






Weight
7,0 kg

Volume: 0,48 m³
Weight: 25,0 kg

Minimum order quantity:
45 pieces

IDKOOLER-081





Weight
7,0 kg

Volume: 0,48 m³
Weight: 25,0 kg

Minimum order quantity:
45 pieces

Dimensions in mm



B.IKS

Design Giovanni Baccolini

B.Iks, un classico intramontabile, si veste di una fine imbottitura e di una tappezzeria essenziale per Incrementare il suo comfort e la sua ergonomia.

B.Iks, a timeless classic, is dressed with a fine padding and an essential upholstery to increase its comfort and ergonomics.










B.IKS

Componente rivestito

Upholstered component



Scocca in poliuretano rigido, rivestito in pelle sintetica.

Rigid polyurethane shell. Upholstered in eco-leather.

Shell weight: 4,31 kg

10 Volume: 0,26 m³
Weight: 44,9 kg

Standard order quantity:
30 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. B
Cod. 07966

Basi - *Bases*

BAS045



Base a 4 gambe in tubo d'acciaio cromata.

4 legs chromed tubular steel base.

Weight 2,3 kg

10 Volume: 0,28 m³
Weight: 24,4 kg

mininum order quantity:
30 pieces

BAS046



Base a 4 gambe in tubo d'acciaio verniciata nero.

4 legs black painted tubular steel base.

Weight 2,3 kg


5 Volume: 0,28 m³
Weight: 13,0 kg

mininum order quantity:
30 pieces

Prodotto finito - *Finished products*

IDBIKS-045






Weight
6,6 kg

Volume: 0,51 m³
Weight: 15,6 kg

Minimum order quantity:
50 pieces

IDBIKS-046





Weight
6,6 kg

Volume: 0,51 m³
Weight: 15,6 kg

Minimum order quantity:
50 pieces

Dimensions in mm



IKS serie

Design Giovanni Baccolini

La sedia Iks rappresenta la capostipite di tutta la collezione. Disegnata nel 1999, grazie a un design classico ed equilibrato, è ancora oggi adatta ad ogni ambiente.

Iks chair is the forefather of the whole collection. Designed in 1999, thanks to its simple and still contemporary style, is suitable for every environment.








IKS

Pag.- 209 -





IKS LARGE



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight: 2,80 kg

30 Volume: 0,48 m³
Weight: 88,1 kg

Colori disponibili
Colours available

minimum order quantity:
60 pieces

- RAL 7021 Cod. 05435
- RAL 7015 Cod. 05436
- RAL 5000 Cod. 05437
- RAL 6005 Cod. 05439
- RAL 6018 Cod. 05440
- RAL 3000 Cod. 05441
- RAL 2003 Cod. 05442
- RAL 2002 Cod. 06872

Basi - *Bases*

BAS045



Base a 4 gambe in tubo d'acciaio cromata.

4 legs chromed tubular steel base.

Weight 2,3 kg

10 Volume: 0,28 m³
Weight: 24,4 kg

minimum order quantity:
30 pieces

BAS046



Base a 4 gambe in tubo d'acciaio verniciata nero.

4 legs black painted tubular steel base.

Weight 2,3 kg

5 Volume: 0,28 m³
Weight: 13,0 kg

minimum order quantity:
30 pieces

BAS047



Base a 4 gambe in tubo d'acciaio cromata con braccioli. Braccioli da ordinare separatamente.

4 legs chromed tubular steel base with armrests. Armrests to be ordered separately.


Weight 3,8 kg

10 Volume: 0,42 m³
Weight: 38,5 kg

minimum order quantity:
60 pieces

IDIKS-045






Weight
5,1 kg

4
Volume: 0,51 m³
Weight: 22,7 kg

Minimum order quantity:
60 pieces

IDIKS-046






Weight
5,1 kg

4
Volume: 0,51 m³
Weight: 22,7 kg

Minimum order quantity:
60 pieces

IDIKS-047





Weight
6,4 kg


4
Volume: 0,51 m³
Weight: 28,1 kg

Minimum order quantity:
60 pieces

Dimensions in mm



IKS MEDIUM



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight:	2,00 kg
35 Volume:	0,48 m³
Weight:	74,1 kg

Colori disponibili
Colours available

minimum order quantity:
70 pieces

- RAL 7021 Cod. 06732
- RAL 7015 Cod. 05227
- RAL 5000 Cod. 05226
- RAL 6005 Cod. 05228
- RAL 6018 Cod. 05323
- RAL 3000 Cod. 05229
- RAL 2003 Cod. 05225
- RAL 2002 Cod. 06873

Basi - *Bases*

BAS133



Base a cantilever in tubo d'acciaio verniciata grigio.

Grey painted tubular steel cantilever.


Weight
3,4 kg

15 Volume: 0,31 m³
Weight: 52,9 kg

minimum order quantity:
70 pieces

IDIKS-133





Weight
5,4 kg

4


Volume: 0,51 m³
Weight: 27,1 kg

Minimum order quantity:
70 pieces

Dimensions in mm



IKS SMALL



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight:	1,1 kg
20 Volume:	0,31 m³
Weight:	23,9 kg

Colori disponibili
Colours available

minimum order quantity:
80 pieces

- RAL 7021 Cod. 06795
- RAL 7015 Cod. 05232
- RAL 5000 Cod. 05231
- RAL 6005 Cod. 05233
- RAL 6018 Cod. 05324
- RAL 3000 Cod. 05234
- RAL 2003 Cod. 05230
- RAL 2002 Cod. 06878

Basi - *Bases*

BAS132



Base a cantilever in tubo d'acciaio verniciata grigio.

Grey painted tubular steel cantilever.


Weight
2,2 kg

20 Volume: 0,31 m³
Weight: 45,9 kg

minimum order quantity:
80 pieces

IDIKS-132





Weight
3,3 kg

4

Volume: 0,51 m³
Weight: 15,7 kg

Minimum order quantity:
80 pieces

Dimensions in mm




SKOOT

Design Paolo Marani

Skoot è uno sgabello dalle linee minimali e rigorose che con la sua essenzialità riesce a trovare collocazione in ambienti con stili anche molto diversificati.

Skoot is a stool with an essential and rigorous line. Thanks to its simplicity it can easily fit in settings with extremely varied characteristics.










SKOOT

Pag.- 217 -





SKOOT



Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight: 2,15 kg

25 Volume: 0,23 m³
Weight: 24,2 kg

Colori disponibili
Colours available

minimum order quantity:
50 pieces

- RAL 7015 Cod. 05034
- RAL 5000 Cod. 05035
- RAL 3000 Cod. 05037
- RAL 6005 Cod. 05038
- RAL 7021 Cod. 05708
- RAL 6018 Cod. 08800

Basi - *Bases*

BAS008



Base a slitta in filo metallico cromata.


Chromed steel rod sled frame.

Weight 3,9 kg

4 Volume: 0,31 m³
Weight: 17,5 kg

minimum order quantity:
50 pieces

BAS079



Base a slitta in filo metallico verniciata nero.

Black painted steel rod sled frame.

Weight 3,9 kg

2 Volume: 0,31 m³
Weight: 9,7 kg

minimum order quantity:
50 pieces

BAS021



Base a slitta in filo metallico cromata.

Chromed steel rod sled frame.

Weight 3,7 kg

4 Volume: 0,31 m³
Weight: 16,7 kg

minimum order quantity:
50 pieces

BAS076



Base a slitta in filo metallico verniciata nero.

Black painted steel rod sled frame.

Weight 3,7 kg

2 Volume: 0,31 m³
Weight: 9,3 kg

minimum order quantity:
50 pieces

Prodotto finito - *Finished products*

IDSKOOT-008





Weight
5,1 kg

4

Volume: 0,51 m³
Weight: 12,7 kg

Minimum order quantity:
50 pieces

IDSKOOT-079





Weight
5,1 kg

4

Volume: 0,51 m³
Weight: 12,7 kg

Minimum order quantity:
50 pieces

IDSKOOT-021





Weight
4,9 kg

4

Volume: 0,51 m³
Weight: 12,3 kg

Minimum order quantity:
50 pieces

IDSKOOT-076





Weight
4,9 kg

4

Volume: 0,51 m³
Weight: 12,3 kg

Minimum order quantity:
50 pieces

Dimensions in mm



KAPPAR

Design R&D ILPODESIGN

Lo sgabello Kappar ha uno stile sobrio e vivace allo stesso tempo. Il confortevole schienale alto, il peso leggero, la spiccata durabilità e resistenza rendono questo sgabello particolarmente adatto per gli ambienti contract.

Kappar is a stool with a both sober and lively style.Its comfortable high back, light weight, durability and resistance make it particularly suitable for contract environments.










KAPPAR

Pag.- 221 -





KAPPAR



Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight: 1,60 kg

30 Volume: 0,24 m³
Weight: 25,9 kg

Colori disponibili
Colours available

minimum order quantity:
60 pieces

- RAL 2002 Cod. 06562
- RAL 7015 Cod. 06565
- RAL 7021 Cod. 06567
- RAL 6018 Cod. 06568
- RAL 5012 Cod. 06570

Basi - *Bases*

BAS042



Base a slitta in filo metallico cromata.

Chromed steel rod sled frame.

Weight 3,7 kg

4 Volume: 0,31 m³
Weight: 16,7 kg

minimum order quantity:
30 pieces

BAS043



Base a slitta in filo metallico cromata.

Chromed steel rod sled frame.

Weight 3,9 kg


4 Volume: 0,31 m³
Weight: 17,5 kg

minimum order quantity:
30 pieces

Prodotto finito - *Finished products*

IDKAPPAR-042






Weight
5,3 kg

2
Volume: 0,48 m³
Weight: 14,7 kg

Minimum order quantity:
60 pieces

IDKAPPAR-043





Weight
5,5 kg

2
Volume: 0,48 m³
Weight: 15,1 kg

Minimum order quantity:
60 pieces

Dimensions in mm



KAPPA serie

Design Francesco Lampitelli

La sedia Kappa racchiude in se contenuti di design, innovazione, tecnologia e prestazioni. Il peso leggero e la spiccata durabilità e resistenza la rendono particolarmente adatta per gli ambienti contract.

Kappa chair embodies design, innovation, technology and performance.The light weight, the particular surface finishing, the enhanced durability and resistance make it an excellent solution for many different furnishing needs.








KAPPA

Pag.- 225 -





KAPPA LARGE



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight: 2,30 kg

25 Volume: 0,24 m³
Weight: 61,6 kg

Colori disponibili
Colours available

minimum order quantity:
50 pieces

- RAL 2002 Cod. 06515
- RAL 5002 Cod. 06516
- RAL 1023 Cod. 06517
- RAL 7015 Cod. 06518
- RAL 4005 Cod. 06519
- RAL 7021 Cod. 06520
- RAL 6018 Cod. 06521
- RAL 3004 Cod. 06522
- RAL 5012 Cod. 06523

Basi - *Bases*

BAS037



Base a slitta in tubo d'acciaio cromata.

Chromed steel rod sled frame.

Weight 3,9 kg

10 Volume: 0,28 m³
Weight: 24,5 kg

minimum order quantity:
35 pieces

BAS105



Base a slitta in filo metallico verniciata nero.

Black painted steel rod sled frame.

Weight 4,0 kg

5 Volume: 0,28 m³
Weight: 24,5 kg

minimum order quantity:
35 pieces

BAS048



Base a 4 gambe in tubo d'acciaio cromata.

4 legs chromed tubular steel base.

Weight 2,0 kg

10 Volume: 0,28 m³
Weight: 24,5 kg

minimum order quantity:
50 pieces

BAS049



Base a 4 gambe in tubo d'acciaio verniciata nero.

4 legs black painted tubular steel base.

Weight 2,0 kg

10 Volume: 0,41 m³
Weight: 39,9 kg

minimum order quantity:
50 pieces

BAS054



Base a 4 gambe in tubo d'acciaio cromata con braccioli. Braccioli da ordinare separatamente.

4 legs chromed tubular steel base with armrests. Armrests to be ordered separately.

Weight 3,2 kg

10 Volume: 0,41 m³
Weight: 53,9 kg

minimum order quantity:
50 pieces

BAS099



Base a cantilever in tubo d'acciaio verniciata grigio.

Grey painted tubular steel cantilever.

Weight 3,9 kg

10 Volume: 0,31 m³
Weight: 41,0 kg

minimum order quantity:
50 pieces

BAS118



Base a 5 razze in nylon nera girevole con ruote regolabile in altezza.

5 spoke adjustable height black nylon swivel base, with castors.

Weight 2,2 kg


1 Volume: 0,05 m³
Weight: 2,9 kg

minimum order quantity:
2 pieces

Prodotto finito - *Finished products*

IDKAPPA-037






Weight
6,2 kg

4
Volume: 0,51 m³
Weight: 27,3 kg

Minimum order quantity:
50 pieces

IDKAPPA-105






Weight
6,3 kg

4
Volume: 0,51 m³
Weight: 27,7 kg

Minimum order quantity:
50 pieces

IDKAPPA-048






Weight
4,3 kg

4
Volume: 0,51 m³
Weight: 19,7 kg

Minimum order quantity:
50 pieces

IDKAPPA-049






Weight
4,3 kg

4
Volume: 0,51 m³
Weight: 19,7 kg

Minimum order quantity:
50 pieces

IDKAPPA-054






Weight
5,5 kg

4
Volume: 0,51 m³
Weight: 24,5 kg

Minimum order quantity:
50 pieces

IDKAPPA-099






Weight
6,2 kg

4
Volume: 0,51 m³
Weight: 27,7 kg

Minimum order quantity:
50 pieces

IDKAPPA-118





Weight
4,5 kg


4
Volume: 0,51 m³
Weight: 20,1 kg

Minimum order quantity:
50 pieces

Dimensions in mm



KAPPA MEDIUM



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight:	2,05 kg
30 Volume:	0,48 m³
Weight:	65,6 kg

Colori disponibili
Colours available

minimum order quantity:
60 pieces

- RAL 2002 Cod. 06562
- RAL 5002 Cod. 06563
- RAL 1023 Cod. 06564
- RAL 7015 Cod. 06565
- RAL 4005 Cod. 06566
- RAL 7021 Cod. 06567
- RAL 6018 Cod. 06568
- RAL 3004 Cod. 06569
- RAL 5012 Cod. 06570

Basi - *Bases*

BAS100



Base a cantilever in tubo d'acciaio verniciata grigio.
Grey painted tubular steel cantilever.


Weight
3,4 kg

15 Volume: 0,31 m³
Weight: 52,9 kg

minimum order quantity:
60 pieces

IDKAPPA-100





Weight
4,5 kg


4
Volume: 0,51 m³
Weight: 24,1 kg

Minimum order quantity:
60 pieces

Dimensions in mm



KAPPA SMALL



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight:	1,40 kg
20 Volume:	0,31 m³
Weight:	29,9 kg

Colori disponibili
Colours available

minimum order quantity:
80 pieces

- RAL 2002 Cod. 07348
- RAL 5002 Cod. 07349
- RAL 1023 Cod. 07350
- RAL 7015 Cod. 07351
- RAL 4005 Cod. 07352
- RAL 7021 Cod. 07353
- RAL 6018 Cod. 07354
- RAL 3004 Cod. 07357
- RAL 5012 Cod. 07355

Basi - *Bases*

BAS101



Base a cantilever in tubo d'acciaio verniciata grigio.
Grey painted tubular steel cantilever.


Weight
2,2 kg

10 Volume: 0,28 m³
Weight: 24,5 kg

minimum order quantity:
80 pieces

IDKAPPA-101





Weight
3,6 kg

4

Volume: 0,51 m³
Weight: 16,9 kg

Minimum order quantity:
80 pieces

Dimensions in mm



2KG serie

Design Alessandro Grossi

La sedia 2kg è il perfetto connubio tra buon design e ottime prestazioni. Dinamica e leggera, senza per questo rinunciare a un'ottima robustezza, rende vivace l'ambiente che la ospita.

2kg chair is the perfect combination of good design and excellent performance that enlivens the environment that hosts it. Lightweight and easy handling do not hinder its excellent robustness.










2KG

Pag.- 233 -



2KG LARGE



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight:	2,15 kg
25 Volume:	0,23 m³
Weight:	56,5 kg

Colori disponibili
Colours available

minimum order quantity:
50 pieces

- RAL 2002 Cod. 06414
- RAL 5012 Cod. 06417
- RAL 6018 Cod. 06416
- RAL 7015 Cod. 06420
- RAL 7021 Cod. 06421
- RAL 1023 Cod. 06418
- RAL 4005 Cod. 06422
- RAL 3004 Cod. 06419
- RAL 5002 Cod. 06415

Basi - *Bases*

BAS048



Base a 4 gambe in tubo d'acciaio cromata.

4 legs chromed tubular steel base.

Weight 2,0 kg

10 Volume: 0,28 m³
Weight: 21,9 kg

minimum order quantity:
50 pieces

BAS049



Base a 4 gambe in tubo d'acciaio verniciata nero.

4 legs black painted tubular steel base.

Weight 2,0 kg

10 Volume: 0,28 m³
Weight: 21,9 kg

minimum order quantity:
50 pieces

BAS054



Base a 4 gambe in tubo d'acciaio cromata con braccioli. Braccioli da ordinare separatamente.

4 legs chromed tubular steel base with armrests. Armrests to be ordered separately.

Weight 3,2 kg

10 Volume: 0,28 m³
Weight: 34,5 kg

minimum order quantity:
50 pieces

BAS099



Base a cantilever in tubo d'acciaio verniciata grigio.

Grey painted tubular steel cantilever.

Weight 3,9 kg

10 Volume: 0,31 m³
Weight: 41,0 kg

minimum order quantity:
50 pieces

BAS118



Base a 5 razze in nylon nera girevole con ruote regolabile in altezza.

5 spoke adjustable height black nylon swivel base, with castors.


Weight 2,2 kg

1 Volume: 0,05 m³
Weight: 2,9 kg

minimum order quantity:
2 pieces

ID2KG-048






Weight
4,3 kg

4 Volume: 0,51 m³
Weight: 20,8 kg

Minimum order quantity:
50 pieces

ID2KG-049






Weight
4,3 kg

4 Volume: 0,51 m³
Weight: 20,8 kg

Minimum order quantity:
50 pieces

ID2KG-054






Weight
4,3 kg

4 Volume: 0,51 m³
Weight: 20,8 kg

Minimum order quantity:
50 pieces

ID2KG-099






Weight
5,7 kg

4 Volume: 0,51 m³
Weight: 28,4 kg

Minimum order quantity:
50 pieces

ID2KG-118





Weight
4,1 kg


4 Volume: 0,51 m³
Weight: 18,9 kg

Minimum order quantity:
50 pieces

Dimensions in mm



2KG MEDIUM



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight:	1,45 kg
30 Volume:	0,48 m³
Weight:	47,6 kg

Colori disponibili
Colours available

minimum order quantity:
60 pieces

- RAL 2002 Cod. 06486
- RAL 5012 Cod. 06494
- RAL 6018 Cod. 06493
- RAL 7015 Cod. 06490
- RAL 7021 Cod. 06491
- RAL 1023 Cod. 06488
- RAL 4005 Cod. 06492
- RAL 3004 Cod. 06489
- RAL 5002 Cod. 06487

Basi - *Bases*

BAS100



Base a cantilever in tubo d'acciaio verniciata grigio.

Grey painted tubular steel cantilever.


Weight
3,4 kg

15 Volume: 0,31 m³
Weight: 52,9 kg

minimum order quantity:
60 pieces

ID2KG-100





Weight
4,9 kg


4
Volume: 0,51 m³
Weight: 22,1 kg

Minimum order quantity:
60 pieces

Dimensions in mm



2KG SMALL



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight:	1,25 kg
20 Volume:	0,31 m³
Weight:	33,2 kg

Colori disponibili
Colours available

minimum order quantity:
80 pieces

- RAL 2002 Cod. 06503
- RAL 5012 Cod. 06513
- RAL 6018 Cod. 06508
- RAL 7015 Cod. 06510
- RAL 7021 Cod. 06511
- RAL 1023 Cod. 06509
- RAL 4005 Cod. 06514
- RAL 3004 Cod. 06512
- RAL 5002 Cod. 06507

Basi - *Bases*

BAS101



Base a cantilever in tubo d'acciaio verniciata grigio.

Grey painted tubular steel cantilever.


Weight
2,2 kg

10 Volume: 0,28 m³
Weight: 24,5 kg

minimum order quantity:
80 pieces

ID2KG-101





Weight
3,5 kg

4

Volume: 0,51 m³
Weight: 16,5

Minimum order quantity:
80 pieces

Dimensions in mm



SNAKE serie

Design R&D ILPODESIGN

Racchiude oltre trent'anni di know-how nella progettazione di sedute per il settore contract. L'ampia seduta incontra con sinuosa armonia lo schienale: solo il vero design è in grado di creare vera funzionalità.

Over thirty years of know-how in the design of seating for the contract sector. The large seat meets the backrest with sinuous harmony: only true design is able to create true functionality.










SNAKE

Pag.- 241 -



SNAKE LARGE



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight:	2,70 kg
25 Volume:	0,48m³
Weight:	71,6 kg

Colori disponibili
Colours available

minimum order quantity:
50 pieces

- RAL 2002 Cod. 09546
- RAL 5002 Cod. 09547
- RAL 6018 Cod. 09548
- RAL 7015 Cod. 09549
- RAL 7021 Cod. 09550
- RAL 5012 Cod. 09693
- RAL 1023 Cod. 09694
- RAL 3004 Cod. 09695

Basi - *Bases*

BAS048



Base a 4 gambe in tubo d'acciaio cromata.

4 legs chromed tubular steel base.

Weight 2,0 kg

10 Volume: 0,28 m³
Weight: 21,9 kg

minimum order quantity:
50 pieces

BAS049



Base a 4 gambe in tubo d'acciaio verniciata nero.

4 legs black painted tubular steel base.

Weight 2,0 kg

10 Volume: 0,28 m³
Weight: 21,9 kg

minimum order quantity:
50 pieces

BAS054



Base a 4 gambe in tubo d'acciaio cromata con braccioli. Braccioli da ordinare separatamente.

4 legs chromed tubular steel base with armrests. Armrests to be ordered separately.

Weight 3,2 kg

10 Volume: 0,28 m³
Weight: 34,5 kg

minimum order quantity:
50 pieces

BAS099



Base a cantilever in tubo d'acciaio verniciata grigio.

Grey painted tubular steel cantilever.

Weight 3,9 kg

10 Volume: 0,31 m³
Weight: 41,0 kg

minimum order quantity:
50 pieces

BAS118



Base a 5 razze in nylon nera girevole con ruote regolabile in altezza.

5 spoke adjustable height black nylon swivel base, with castors.


Weight 2,2 kg

1 Volume: 0,05 m³
Weight: 2,9 kg

minimum order quantity:
2 pieces

IDSNAKE-048






Weight
4,7 kg

4 Volume: 0,51 m³
Weight: 21,3 kg

Minimum order quantity:
50 pieces

IDSNAKE-049






Weight
4,7 kg

4 Volume: 0,51 m³
Weight: 21,3 kg

Minimum order quantity:
50 pieces

IDSNAKE-054






Weight
5,9 kg

4 Volume: 0,51 m³
Weight: 26,1 kg

Minimum order quantity:
50 pieces

IDSNAKE-099






Weight
6,6 kg

4 Volume: 0,51 m³
Weight: 28,9 kg

Minimum order quantity:
50 pieces

IDSNAKE-118





Weight
4,9 kg


4 Volume: 0,51 m³
Weight: 22,1 kg

Minimum order quantity:
50 pieces

Dimensions in mm



SNAKE MEDIUM



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight:	2,15 kg
30 Volume:	0,23 m³
Weight:	66,4 kg

Colori disponibili
Colours available

minimum order quantity:
60 pieces

- RAL 2002 Cod. 09702
- RAL 5002 Cod. 09698
- RAL 6018 Cod. 09700
- RAL 7015 Cod. 09697
- RAL 7021 Cod. 09696
- RAL 5012 Cod. 09699
- RAL 1023 Cod. 09701
- RAL 3004 Cod. 09703

Basi - *Bases*

BAS100



Base a cantilever in tubo d'acciaio verniciata grigio.
Grey painted tubular steel cantilever.


Weight
3,4 kg

15 Volume: 0,31 m³
Weight: 52,9 kg

minimum order quantity:
60 pieces

IDSNAKE-100





Weight
6,6 kg


4
Volume: 0,51 m³
Weight: 28,9 kg

Minimum order quantity:
60 pieces

Dimensions in mm



SNAKE SMALL



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight:	1,45 kg
20 Volume:	0,23 m³
Weight:	24,2 kg

Colori disponibili
Colours available

minimum order quantity:
80 pieces

- RAL 2002 Cod. 09710
- RAL 5002 Cod. 09706
- RAL 6018 Cod. 09708
- RAL 7015 Cod. 09705
- RAL 7021 Cod. 09704
- RAL 5012 Cod. 09707
- RAL 1023 Cod. 09709
- RAL 3004 Cod. 09711

Basi - *Bases*

BAS101



Base a cantilever in tubo d'acciaio verniciata grigio.

Grey painted tubular steel cantilever.


Weight
2,2 kg

10 Volume: 0,28 m³
Weight: 24,5 kg

minimum order quantity:
80 pieces

IDSNAKE-101





Weight
3,7 kg

4
Volume: 0,51 m³
Weight: 17,3 kg

Minimum order quantity:
80 pieces

Dimensions in mm



TAKE serie


Design Meta Ingegneria

La sedia Take assicura un'ottima ergonomia di seduta grazie al sostegno lombare progressivo ed al supporto laterale flessibile. Entra con personalità in casa o in ufficio, in eleganti spazi contract, in bar o ristoranti.

Take chair ensures excellent seating ergonomics thanks to the progressive lumbar support and to a flexible lateral support. Its personality lends itself to the home or to the office, in elegant contract spaces, in bars or restaurants.










TAKE

Pag.- 249 -



TAKE LARGE



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight:	2,10 kg
25 Volume:	0,48 m³
Weight:	56,6 kg

Colori disponibili
Colours available

minimum order quantity:
50 pieces

- RAL 2002 Cod. 08476
- RAL 5012 Cod. 08480
- RAL 6018 Cod. 08481
- RAL 7015 Cod. 08482
- RAL 7021 Cod. 08483
- RAL 1023 Cod. 08475
- RAL 4005 Cod. 08478
- RAL 3004 Cod. 08477
- RAL 5002 Cod. 08479

Basi - *Bases*

BAS048



Base a 4 gambe in tubo d'acciaio cromata.

4 legs chromed tubular steel base.

Weight 2,0 kg

10 Volume: 0,28 m³
Weight: 21,9 kg

minimum order quantity:
50 pieces

BAS049



Base a 4 gambe in tubo d'acciaio verniciata nero.

4 legs black painted tubular steel base.

Weight 2,0 kg

10 Volume: 0,28 m³
Weight: 21,9 kg

minimum order quantity:
50 pieces

BAS054



Base a 4 gambe in tubo d'acciaio cromata con braccioli. Braccioli da ordinare separatamente.

4 legs chromed tubular steel base with armrests. Armrests to be ordered separately.

Weight 3,2 kg

10 Volume: 0,28 m³
Weight: 34,5 kg

minimum order quantity:
50 pieces

BAS099



Base a cantilever in tubo d'acciaio verniciata grigio.

Grey painted tubular steel cantilever.

Weight 3,9 kg

10 Volume: 0,31 m³
Weight: 41,0 kg

minimum order quantity:
50 pieces

BAS118



Base a 5 razze in nylon nera girevole con ruote regolabile in altezza.

5 spoke adjustable height black nylon swivel base, with castors.


Weight 2,2 kg

1 Volume: 0,05 m³
Weight: 2,9 kg

minimum order quantity:
2 pieces

IDTAKE-048






Weight
4,1 kg

4 Volume: 0,51 m³
Weight: 18,9 kg

Minimum order quantity:
50 pieces

IDTAKE-049






Weight
4,1 kg

4 Volume: 0,51 m³
Weight: 18,9 kg

Minimum order quantity:
50 pieces

IDTAKE-054






Weight
5,3 kg

4 Volume: 0,51 m³
Weight: 23,7 kg

Minimum order quantity:
50 pieces

IDTAKE-099





Weight
6,0 kg

4 Volume: 0,51 m³
Weight: 26,5 kg

Minimum order quantity:
50 pieces

IDTAKE-118





Weight
4,3 kg


4 Volume: 0,51 m³
Weight: 19,7 kg

Minimum order quantity:
50 pieces

Dimensions in mm



TAKE MEDIUM



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight:	1,50 kg
30 Volume:	0,48 m³
Weight:	49,1 kg

Colori disponibili
Colours available

minimum order quantity:
60 pieces

- RAL 2002 Cod. 08487
- RAL 5012 Cod. 08491
- RAL 6018 Cod. 08492
- RAL 7015 Cod. 08493
- RAL 7021 Cod. 08494
- RAL 1023 Cod. 08486
- RAL 4005 Cod. 08489
- RAL 3004 Cod. 08488
- RAL 5002 Cod. 08490

Basi - *Bases*

BAS100



Base a cantilever in tubo d'acciaio verniciata grigio.

Grey painted tubular steel cantilever.


Weight
3,4 kg

15 Volume: 0,31 m³
Weight: 52,9 kg

minimum order quantity:
60 pieces

IDTAKE-100





Weight
5,8 kg


4
Volume: 0,51 m³
Weight: 25,7 kg

Minimum order quantity:
60 pieces

Dimensions in mm



TAKE SMALL



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight:	1,1 kg
20 Volume:	0,23 m³
Weight:	22,2 kg

Colori disponibili
Colours available

minimum order quantity:
80 pieces

- RAL 2002 Cod. 08498
- RAL 5012 Cod. 08502
- RAL 6018 Cod. 08503
- RAL 7015 Cod. 08504
- RAL 7021 Cod. 08505
- RAL 1023 Cod. 08497
- RAL 4005 Cod. 08500
- RAL 3004 Cod. 08499
- RAL 5002 Cod. 08501

Basi - *Bases*

BAS101



Base a cantilever in tubo d'acciaio verniciata grigio.
Grey painted tubular steel cantilever.


Weight
2,2 kg

10 Volume: 0,28 m³
Weight: 24,5 kg

minimum order quantity:
80 pieces

IDTAKE-101





Weight
3,2 kg

4

Volume: 0,51 m³
Weight: 15,3 kg

Minimum order quantity:
80 pieces

Dimensions in mm



PIKAIA serie

Design Angelo Natuzzi

La sedia Pikaia è un elemento d'arredo moderno e versatile, che grazie alle sue linee morbide e sinuose la rendono adatta per diversi contesti: dalla casa all'ufficio all'ambiente scolastico.

The Pikaia chair is a modern and versatile piece of furniture, which thanks to its soft and sinuous lines make it suitable for different contexts: from the home to the office to the school environment.








NON IMPORTA DOVERMI
SEDERE SUL PAVIMENTO
A SCUOLA...TUTTO CIÒ CHE VOGLIO
È ISTRUZIONE.

PIKAIA LARGE



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight:	2,45 kg
25 Volume:	0,48 m³
Weight:	65,4 kg

Colori disponibili
Colours available

minimum order quantity:
50 pieces

- RAL 2003 Cod. 06267
- RAL 3000 Cod. 06271
- RAL 5000 Cod. 06268
- RAL 6018 Cod. 07512
- RAL 6005 Cod. 06272
- RAL 7015 Cod. 06269
- RAL 7021 Cod. 06270

Basi - *Bases*

BAS134



Base a cantilever in tubo d'acciaio verniciata grigio.

Grey painted tubular steel cantilever.


Weight
2,2 kg

10 Volume: 0,31 m³
Weight: 40,9 kg

minimum order quantity:
50 pieces

IDPIKAIA-134





Weight
5,7 kg

4

Volume: 0,51 m³
Weight: 25,3 kg

Minimum order quantity:
50 pieces

Dimensions in mm



PIKAIA MEDIUM



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight:	1,9 kg
30 Volume:	0,48 m³
Weight:	58,5 kg

Colori disponibili
Colours available

minimum order quantity:
60 pieces

- RAL 2003 Cod. 05903
- RAL 3000 Cod. 05905
- RAL 5000 Cod. 05902
- RAL 6018 Cod. 07513
- RAL 6005 Cod. 05904
- RAL 7015 Cod. 05901
- RAL 7021 Cod. 05709

Basi - *Bases*

BAS133



Base a cantilever in tubo d'acciaio verniciata grigio.

Grey painted tubular steel cantilever.


Weight
3,4 kg

15 Volume: 0,28 m³
Weight: 52,9 kg

minimum order quantity:
60 pieces

IDPIKAIA-133





Weight
5,3 kg

4

Volume: 0,51 m^3
Weight: 23,7 kg

Minimum order quantity:
60 pieces

Dimensions in mm



PIKAIA SMALL



Designed according
UNI 1729-1 / UNI EN 1729-2

Scocca in poliuretano rigido.
Rigid polyurethane shell.

Shell weight:	1,4 kg
20 Volume:	0,31 m³
Weight:	29,9 kg

Colori disponibili
Colours available

minimum order quantity:
80 pieces

- RAL 2003 Cod. 05058
- RAL 3000 Cod. 05061
- RAL 5000 Cod. 05057
- RAL 6018 Cod. 07514
- RAL 6005 Cod. 05060
- RAL 7015 Cod. 05056
- RAL 7021 Cod. 05062

Basi - *Bases*

BAS132



Base a cantilever in tubo d'acciaio verniciata grigio.

Grey painted tubular steel cantilever.


Weight
2,2 kg

10 Volume: 0,28 m³
Weight: 24,5 kg

minimum order quantity:
80 pieces

IDPIKAIA-132





Weight
3,6 kg

4

Volume: 0,51 m³
Weight: 18,5 kg

Minimum order quantity:
80 pieces

Dimensions in mm



KUCCIOLA

Design R&D ILPODESIGN

La poltroncina Kucciola è un soffice complemento d'arredo per le camere dei più piccoli o per spazi dedicati al gioco. Questo tipo di poltroncina è progettata per essere leggera, maneggevole e sicura per i bambini, oltre a offrire comfort e supporto adeguato per la loro postura.

The Kucciola armchair is a soft piece of furniture for children's rooms or for spaces dedicated to play. This type of armchair is designed to be light, easy to handle and safe for children, as well as offering comfort and adequate support for their posture.










KUCCIOLA


Pag.- 265 -



KUCCIOLA

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile.

Moulded flexible polyurethane shell.

Ilpoflex CB foam
Cod. 03403
Ilpoflex BS foam
Cod. 05579

Shell weight: 3,5 kg

1 Volume: 0,11 m³
Weight: 4,7 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. B

Fabric consumption
1,2 m

Basi - *Bases*

KUCCIOLA

Scocca stampata in poliuretano flessibile.

Moulded flexible polyurethane shell.


Weight
3,5 kg


1 Volume: 0,21 m³
Weight: 4,7 kg

mininum order quantity:
8 pieces

07989







Weight
3,5 kg

1

Volume: 0,11 m³
Weight: 4,7 kg

Minimum order quantity:
8 pieces

Dimensions in mm



KONO

Design R&D ILPODESIGN

La base Kono non è solo un supporto funzionale, ma un vero e proprio elemento di stile che può trasformare l'aspetto di qualsiasi ambiente. Grazie alla sua combinazione di design elegante, solidità e praticità, rappresenta una scelta eccellente per chi desidera unire estetica e funzionalità nel proprio arredamento.

The Kono base is not just a functional support, but a real style element that can transform the look of any environment.Thanks to its combination of elegant design, solidity and practicality, it represents an excellent choice for those who want to combine aesthetics and functionality in their furnishings.











KONO


Pag.- 269 -



KONO

Componente non rivestito

Not upholstered component



Scocca stampata in poliuretano flessibile con inserto metallico.

Shell molded in flexible polyurethane with metal insert.

Ilpoflex CB foam
Cod. 09671
Ilpoflex BS foam
Cod. 09672

Shell weight: 2,4 kg

1 Volume: 0,22 m³
Weight: 6,8 kg

Standard order quantity:
8 pieces

Prodotto finito rivestito in:

Finished product upholstered in:

CAT. A
CAT. B
CAT. C
CAT. D
C.O.M.

Fabric consumption
1,1 m

Basi - *Bases*

KONOBAS

Struttura in metallo rivestita in poliuretano.

Metal structure covered in polyurethane.

Weight
4,4 kg


1 Volume: 0,22 m³
Weight: 6,8 kg

mininum order quantity:
8 pieces

Prodotto finito - *Finished products*


09671 / 09672






09671 / 09672






09671 / 09672






09671 / 09672






09671 / 09672






09671 / 09672





09671 / 09672






Dimensions in mm



Accessories

07534



Piedino per att acco in linea DX.

Linking device R.

07535



Piedino per att acco in linea SX.

Linking device L.

07533



Piedino standard.

Standard feet.

07532



Accessorio per marmo o parquet.

Fitting for marble floor or parquet floor.

07531



Accessorio per cotto o gres.

Fitting for terracotta ti le floor or gres floor.

08645



Telaio metallico verniciato nero per connessione sedile-schienale Kiss.

Black painted metal frame for Kiss seat-backrest connection.

Poggiatesta Kinzika L

Headrest Kinzika L



Cuscino poggiatesta.

Soft headrest.

Non rivestito

Not Upholstered

Headrest CB foam

Cod: 05809

Headrest BS foam

Cod: 08179

* s.o.q. 6 pieces

Rivestito

Upholstered




Fabric consumption: 0,3 ml

* s.o.q. 6 pieces

Legend

	Consumo di tessuto h 1.40 mt *Fabric consumption h 1.40 mt*
CAT. A	Tappezzeria in tessuto Fidivi, King Flex *Upholstery in fabric Fidivi, King Flex*
CAT. B	Tappezzeria in tessuto Flukso, Secret *Upholstery in fabric Flukso, Secret*
CAT. C	Tappezzeria in tessuto Fidivi, King L Kat *Upholstery in fabric Fidivi, King L Kat*
CAT. D	Tappezzeria in tessuto Fidivi, Terra *Upholstery in fabric Fidivi, Terra*
C.O.M.	CUSTOMER'S OWN MATERIAL Tappezzeria in tessuto fornito dal cliente. Viene sempre applicato un extra costo forfettario per sistemazione dime di taglio. *Upholstery in customer's own material.* *An extra flat rate cost is always applied for adjusting cutting templates.*
m.o.q	MINIMUM ORDER QUANTITY Quantità minima in vendita. *Minimum order quantity.*
s.o.q	STANDARD ORDER QUANTITY Quantità standard in vendita sotto la quale viene applicato un extra costo *Standard order quantity, for less pcs an extra flat rate is applied.*



ILPO srl

Via Friuli 1-3, 40024 - Castel San Pietro Terme - Bologna
+39 051 69 50 611 - info@ilpodesign.com - www.ilpodesign.com

January 2026



www.ilpodesign.com